



# CATALOGUE D'AMPOULES BULBS CATALOG

2026



BULB REFERENCE / RÉFÉRENCES D'AMPOULES

INCANDESCENT & HALOGEN / INCANDESCENTE & HALOGÈNE

COMPACT FLUO / FLUOCOMPACT



A-TYPE

GENERAL HOUSEHOLD




CFL




A-TYPE CFL



Par-type



R-type



BR-type

FLOOD LIGHT



R-type



BR-type



B-type




F-type

DECORATIVE



B-type



G-type

VANITY



G-type



MR16



MR16  
GU10 base

HALOGEN



culot GU10 base

SPECIALTY / SPÉCIALITÉ



T-type



S-type



C-type




T3



JC-type  
culot G9 base



JC-type  
culot bi-pin base



circline

BASES / CULOT



Candelabra (E12)



European (E14)



Intermediate (E17)



Medium (E26)



GU10



GU24



**Jessar Industries Inc.** is a family business founded in 1996. Through many years of experience in the import and distribution of household articles in the retail stores, Jessar refines its product ranges to specialize not only in household products but also in electrical products .

In just a few years, Jessar knew how to differentiate itself in its category of electrical products by creating its own Xtricity brand. In analyzing the needs of its clientele, Jessar mounted a comprehensive range of products for light bulbs, combining a superior quality as well as following the latest norms of governmental standards in order to be at the cutting edge of technology.

With its dedication to quality and customer service, Jessar distributes today its products across Canada in a variety of stores, including retail stores as well as the clients with national accounts.

Jessar hopes with the support of its loyal customers to continue being a leader in its field.

**Les Industries Jessar Inc.** est une entreprise familiale fondée en 1996. À travers plusieurs années d'expérience dans l'importation et la distribution d'articles domestiques dans les commerces de détail, Jessar épure ses gammes de produits pour se spécialiser dans les produits électriques et les produits pour la maison.

En quelques années seulement, Jessar su comment se démarquer dans sa catégorie de produits électriques de marque Xtricity. En analysant les besoins de sa clientèle, Jessar monte une gamme de produits complète pour les ampoules, combinant une qualité supérieure ainsi que le respect des plus récentes normes gouvernementales afin d'être à la fine pointe de la technologie.

Avec son dévouement pour la qualité et son service à la clientèle, Jessar distribue aujourd'hui ses produits à travers le Canada dans une variété de magasins, incluant les magasins à grandes surface et les clients de comptes nationaux.

Elle désire, avec l'appui de sa fidèle clientèle, continuer à être un leader dans son domaine.

LED / DEL



LED BULBS / AMPOULES DEL

TYPE A

|                                                                                       | Product / Produit                      | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40019<br>LED / DEL<br>Type A19 - 1PK | 6W    | 450 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |    |
|    | 1-40020<br>LED / DEL<br>Type A19 - 1PK | 6W    | 450 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |    |
|    | 1-40086<br>LED / DEL<br>Type A19 - 1CD | 6W    | 450 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |    |
|   | 1-40087<br>LED / DEL<br>Type A19 - 1CD | 6W    | 450 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |   |
|  | 1-40084<br>LED / DEL<br>Type A19 - 4PK | 6W    | 450 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 6      |  |
|  | 1-40085<br>LED / DEL<br>Type A19 - 4PK | 6W    | 450 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 6      |  |
|  | 1-40082<br>LED / DEL<br>Type A19 - 1CD | 9W    | 800 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |
|  | 1-40022<br>LED / DEL<br>Type A19 - 1CD | 10W   | 720 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |

TYPE A

|                                                                                    | Product / Produit                       | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|-----------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40001<br>LED / DEL<br>Type A19 - 1PK  | 9W    | 800 lm | 3000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 48     |    |
|    | 1-40004<br>LED / DEL<br>Type A19 - 1PK  | 9W    | 800 lm | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 48     |    |
|    | 1-40002<br>LED / DEL<br>Type A19 - 2PK  | 9W    | 800 lm | 3000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 12     |    |
|   | 1-40005<br>LED / DEL<br>Type A19 - 2PK  | 9W    | 800 lm | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 12     |   |
|  | 1-40003<br>LED / DEL<br>Type A19 - 6PK  | 9W    | 800 lm | 3000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |
|  | 1-40006<br>LED / DEL<br>Type A19 - 6PK  | 9W    | 800 lm | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |
|  | 1-40150<br>LED / DEL<br>Type A19 - 10PK | 9W    | 800 lm | 3000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |
|  | 1-40151<br>LED / DEL<br>Type A19 - 10PK | 9W    | 800 lm | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |

TYPE A

|                                                                                       | Product / Produit                      | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40158<br>LED / DEL<br>Type A19 - 1CD | 12W   | 1100 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 36     |    |
|    | 1-40159<br>LED / DEL<br>Type A19 - 1CD | 12W   | 1100 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 36     |    |
|    | 1-40154<br>LED / DEL<br>Type A19 - 6PK | 12W   | 1100 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 6      |    |
|   | 1-40155<br>LED / DEL<br>Type A19 - 6PK | 12W   | 1100 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 6      |   |
|  | 1-40156<br>LED / DEL<br>Type A19 - 6PK | 12W   | 1100 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |  |
|  | 1-40157<br>LED / DEL<br>Type A19 - 6PK | 12W   | 1100 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |  |
|  | 1-50017<br>LED / DEL<br>Type A19 - 1PK | 10W   | 800 lm  | 3000K | 12V                                                                                 | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |
|  | 1-50018<br>LED / DEL<br>Type A19 - 1PK | 10W   | 800 lm  | 3000K | 120V                                                                                | Dim.                                                                                | GU24                                                                                | 6     | 48     |  |

TYPE A

|                                                                                    | Product / Produit                       | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|-----------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40007<br>LED / DEL<br>Type A19 - 1PK  | 9.5W  | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|    | 1-40010<br>LED / DEL<br>Type A19 - 1PK  | 9.5W  | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|    | 1-40008<br>LED / DEL<br>Type A19 - 2PK  | 9.5W  | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 12     |    |
|   | 1-40011<br>LED / DEL<br>Type A19 - 2PK  | 9.5W  | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 12     |   |
|  | 1-40009<br>LED / DEL<br>Type A19 - 6PK  | 9.5W  | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 6      |  |
|  | 1-40012<br>LED / DEL<br>Type A19 - 6PK  | 9.5W  | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 6      |  |
|  | 1-40152<br>LED / DEL<br>Type A19 - 10PK | 9.5W  | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 6      |  |
|  | 1-40153<br>LED / DEL<br>Type A19 - 10PK | 9.5W  | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 6      |  |

TYPE A

|                                                                                       | Product / Produit                                                                                                                          | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50041<br>LED / DEL<br>Type A19 - 1PK<br>Omni-direc.   | 17W   | 1600 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|    | 1-50042<br>LED / DEL<br>Type A19 - 1PK<br>Omni-direc.   | 17W   | 1600 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|    | 1-50091<br>LED / DEL<br>Type A19 - 6PK<br>Omni-direc.   | 17W   | 1600 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |    |
|   | 1-50092<br>LED / DEL<br>Type A19 - 6PK<br>Omni-direc.  | 17W   | 1600 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |    |
|  | 1-40067<br>LED / DEL<br>Type A15 - 1CD<br>Fan / Ventilateur                                                                                | 7W    | 500 lm  | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |  |
|  | 1-40055<br>LED / DEL<br>Type A15 - 2PK                                                                                                     | 7W    | 500 lm  | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 120    |  |
|  | 1-40056<br>LED / DEL<br>Type A15 - 2PK                                                                                                     | 7W    | 500 lm  | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 120    |  |
|  | 1-40112<br>LED / DEL - Filament<br>Type A15 - 2PK                                                                                          | 5.5W  | 500 lm  | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |
|  | 1-40113<br>LED / DEL - Filament<br>Type A15 - 2PK                                                                                          | 5.5W  | 500 lm  | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |

FILAMENT

|                                                                                    | Product / Produit                                                  | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40091<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 1CD | 9W    | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|    | 1-40092<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 1CD | 9W    | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|    | 1-40093<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 2PK | 9W    | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 48     |    |
|   | 1-40094<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 2PK | 9W    | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 48     |   |
|  | 1-40095<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 6PK | 9W    | 800 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 12     |  |
|  | 1-40096<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 6PK | 9W    | 800 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 12     |  |
|  | 1-40097<br>LED / DEL - Filament<br>Clear / Clair<br>Type S - 1CD   | 6.2W  | 700 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |  |
|  | 1-40049<br>LED / DEL - Filament<br>Clear / Clair<br>Type S - 4PK   | 6.2W  | 700 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 6      |  |

FILAMENT

|                                                                                       | Product / Produit                                                    | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40053<br>LED / DEL - Filament<br>Clear / Clair<br>Type S14 - 2CD   | 3W    | 300 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 60     |    |
|    | 1-40066<br>LED / DEL - Filament<br>White / Blanc<br>Type G25 - 2PK   | 5W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |    |
|    | 1-40044<br>LED / DEL - Filament<br>Clear / Clair<br>Type G25 - 2PK   | 5W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |    |
|  | 1-50049<br>LED / DEL - Filament<br>Clear / Clair<br>Type G16.5 - 1CD | 5.5W  | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E12                                                                                 | 6     | 48     |  |
|  | 1-50056<br>LED / DEL - Filament<br>Clear / Clair<br>Type T10 - 1CD   | 4.5W  | 400 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |  |
|  | 1-40105<br>LED / DEL - Filament<br>Clear / Clair<br>Type T6 - 1CD    | 2W    | 300 lm | 3000K | 120V                                                                                | Dim.                                                                                | E12                                                                                 | 6     | 60     |  |
|  | 1-40106<br>LED / DEL - Filament<br>Clear / Clair<br>Type T6 - 1CD    | 2W    | 300 lm | 3000K | 120V                                                                                | Dim.                                                                                | E17                                                                                 | 6     | 60     |  |

FILAMENT

|                                                                                    | Product / Produit                                                                                                                                       | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40168<br>LED / DEL - Filament<br>Clear / Clair<br>Type T6 - 1CD                                                                                       | 2W    | 200 lm | 5000K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 60     |    |
|    | 1-40169<br>LED / DEL - Filament<br>Clear / Clair<br>Type T6 - 1CD                                                                                       | 2W    | 200 lm | 5000K | 120V                                                                              | Dim.                                                                              | E17                                                                                | 6     | 60     |    |
|    | 1-40031<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD       | 5.5W  | 500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 24     |    |
|   | 1-40032<br>LED / DEL - Filament<br>Frosted / Givrée<br>Type C - 2CD  | 5.5W  | 500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 24     |   |
|  | 1-40033<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD     | 5.5W  | 500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |
|  | 1-40036<br>LED / DEL - Filament<br>Frosted / Givrée<br>Type C - 2CD  | 5.5W  | 500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |
|  | 1-40075<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD                                                                                        | 4.5W  | 500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E14                                                                                | 6     | 24     |  |
|  | 1-40045<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 4CD                                                                                        | 3.5W  | 300 lm | 3000K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 24     |  |

HIGH LUMENS / LUMEN ÉLEVÉ

|                                                                                       | Product / Produit                                                                                                          | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50095<br>LED / DEL<br>Type A21 - 2PK  | 28W   | 2605 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |    |
|    | 1-50096<br>LED / DEL<br>Type A21 - 2PK  | 28W   | 2605 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |    |
|    | 1-50097<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur                                      | 55W   | 5000 lm | 3000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 4     | 24     |    |
|   | 1-50098<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur                                      | 55W   | 5000 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 4     | 24     |    |
|  | 1-40114<br>LED / DEL - Filament<br>Type A19 - 2PK                                                                          | 12W   | 1100 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 12     |  |
|  | 1-40115<br>LED / DEL - Filament<br>Type A19 - 2PK                                                                          | 12W   | 1100 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 12     |  |
|  | 1-40118<br>LED / DEL - Filament<br>Type A21 - 2PK                                                                          | 16W   | 1600 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|  | 1-40119<br>LED / DEL - Filament<br>Type A21 - 2PK                                                                          | 16W   | 1600 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|  | 1-40116<br>LED / DEL - Filament<br>Type A19 - 6PK                                                                          | 12W   | 1100 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |  |
|  | 1-40117<br>LED / DEL - Filament<br>Type A19 - 6PK                                                                          | 12W   | 1100 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |  |

VINTAGE / À L'ANCIENNE

|                                                                                    | Product / Produit                                                   | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50015<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type C - 1CD   | 3.5W  | 250 lm | 2200K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 60     |    |
|    | 1-40018<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type C - 2CD   | 5W    | 350 lm | 2200K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |    |
|    | 1-40046<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type C - 4CD   | 3.5W  | 250 lm | 2200K | 120V                                                                              | Dim.                                                                              | E12                                                                                | 6     | 36     |    |
|  | 1-50019<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type A - 1CD   | 4.5W  | 450 lm | 2200K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |  |
|  | 1-40017<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type G25 - 1PK | 5W    | 350 lm | 2200K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 36     |  |
|  | 1-50021<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type G40 - 1PK | 5W    | 500 lm | 2200K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 24     |  |
|  | 1-50074<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type G40 - 1PK | 7W    | 280 lm | 2200K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 24     |  |

VINTAGE / À L'ANCIENNE

|                                                                                       | Product / Produit                                                   | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-60079<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type S - 1CD   | 5W    | 450 lm | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|    | 1-40050<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type S - 4PK   | 5W    | 400 lm | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 6      |    |
|    | 1-40054<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type S14 - 2CD | 3W    | 200 lm | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 60     |    |
|   | 1-40000<br>LED / DEL - Filament<br>Amber / ambre<br>Type S14 - 3PK  | 1W    | 70 lm  | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |   |
|  | 1-40047<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type T30 - 1CD | 5W    | 250 lm | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |  |
|  | 1-40048<br>LED / DEL - Filament<br>Smoked / Fumée<br>Type T30 - 1CD | 8W    | 350 lm | 2200K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |  |





LED BULBS / AMPOULES DEL

COLORED / COULEURS

| Product / Produit                                                                                                                                                                                                                                                    | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
| <br>1-40201<br>LED / DEL - Filament<br>Black light<br>Ultra-violet<br>Type A19 - 1PK                                                                                              | 4W    | N/A    | N/A | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 36     |    |
| <br>1-40202<br>LED / DEL - Filament<br>Blue / Bleu<br>Type A19 - 1PK                                                                                                              | 4.5W  | N/A    | N/A | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |    |
| <br>1-40203<br>LED / DEL - Filament<br>Green / Vert<br>Type A19 - 1PK                                                                                                            | 4.5W  | N/A    | N/A | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |   |
| <br>1-40206<br>LED / DEL - Filament<br>Red / Rouge<br>Type A19 - 1PK                                                                                                            | 4.5W  | N/A    | N/A | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |  |
| <br>1-40207<br>LED / DEL - Filament<br>Yellow / Jaune<br>Type A19 - 1PK                                                                                                         | 4.5W  | N/A    | N/A | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |  |
| <br>1-40078    LED / DEL<br>Color variable<br>(Red, Blue, Green,<br>Pink, Orange, Cycling)<br>Couleur variable<br>(Rouge, Bleu, Vert,<br>Rose, Orange, Cycle)<br>Type A19 - 1PK | 5W    | N/A    | N/A | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |

COLORED / COULEURS

|                                                                                    | Product / Produit                                       | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|---------------------------------------------------------|-------|--------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50004<br>LED / DEL - Type A19<br>Blue / Bleu - 1CD    | 5W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 36     |    |
|    | 1-50005<br>LED / DEL - Type A19<br>Red / Rouge - 1CD    | 5W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 36     |    |
|    | 1-50006<br>LED / DEL - Type A19<br>Green / Vert - 1CD   | 5W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 36     |    |
|   | 1-50007<br>LED / DEL - Type A19<br>Yellow / Jaune - 1CD | 5W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 36     |   |
|  | 1-50027<br>LED / DEL - PAR38<br>Blue / Bleu - 1PK       | 7W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 4     | 24     |  |
|  | 1-50028<br>LED / DEL - PAR38<br>Red / Rouge - 1PK       | 5W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 4     | 24     |  |
|  | 1-50029<br>LED / DEL - PAR38<br>Green / Vert - 1PK      | 7W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 4     | 24     |  |
|  | 1-50047<br>LED / DEL - PAR38<br>Yellow / Jaune - 1PK    | 7W    | N/A    | N/A | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 4     | 24     |  |

TYPE PAR

|                                                                                                                                                                             | Product / Produit                        | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|                                                                                          | 1-40064<br>LED / DEL<br>Type PAR16 - 2PK | 6W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|                                                                                          | 1-40167<br>LED / DEL<br>Type PAR16 - 2PK | 6W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|       | 1-50008<br>LED / DEL<br>Type PAR20 - 1PK | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|    | 1-50009<br>LED / DEL<br>Type PAR20 - 1PK | 7W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |   |
|   | 1-50035<br>LED / DEL<br>Type PAR20 - 2PK | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|   | 1-50036<br>LED / DEL<br>Type PAR20 - 2PK | 7W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|   | 1-50010<br>LED / DEL<br>Type PAR30 - 1PK | 11W   | 800 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|   | 1-50011<br>LED / DEL<br>Type PAR30 - 1PK | 11W   | 800 lm | 5000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |

LED BULBS / AMPOULES DEL

TYPE PAR

|                                                                                  | Product / Produit                                                                     | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                 |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|---------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-50012<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 18.5W | 1400 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |
|  | 1-50013<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 18.5W | 1400 lm | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |



MR11 / MR16 / GU10

|                                                                                    |                                               |    |        |       |     |          |              |   |    |                                                                                       |
|------------------------------------------------------------------------------------|-----------------------------------------------|----|--------|-------|-----|----------|--------------|---|----|---------------------------------------------------------------------------------------|
|  | 1-60099<br>LED / DEL<br>Type MR11 - 1CD       | 3W | 220 lm | 3000K | 12V | Non dim. | GU4 Bi-pin   | 6 | 60 |  |
|  | 1-50045<br>LED / DEL - COB<br>Type MR16 - 1CD | 7W | 500 lm | 3000K | 12V | Dim.     | GU5.3 Bi-pin | 6 | 48 |  |

LED BULBS / AMPOULES DEL

MR11 / MR16 / GU10

|                                                                                       | Product / Produit                                        | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50046<br>LED / DEL - JDR<br>Type MR16 - 1CD            | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |    |
|    | 1-40080<br>LED / DEL<br>Type GU10 - 1CD                  | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 48     |    |
|    | 1-40081<br>LED / DEL<br>Type GU10 - 1CD                  | 7W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 48     |    |
|   | 1-40073<br>LED / DEL<br>Type GU10 - 1PK                  | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 10    | 100    |   |
|  | 1-40074<br>LED / DEL<br>Type GU10 - 1PK                  | 7W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 10    | 100    |  |
|  | 1-40015<br>LED / DEL<br>Type GU10 - 4PK                  | 7W    | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 12    | 36     |  |
|  | 1-40016<br>LED / DEL<br>Type GU10 - 4PK                  | 7W    | 500 lm | 5000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 12    | 36     |  |
|  | 1-40038<br>LED / DEL<br>Type GU10 - 4CD<br>Glass / Verre | 5W    | 400 lm | 3000K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 36     |  |

TYPE R / BR

|                                                                                    | Product / Produit                       | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|-----------------------------------------|-------|---------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-50048<br>LED / DEL<br>Type R14 - 1CD  | 4.5W  | 300 lm  | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |    |
|    | 1-60098<br>LED / DEL<br>Type R16 - 1CD  | 5.5W  | 400 lm  | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|    | 1-40026<br>LED / DEL<br>Type R16 - 1CD  | 5.5W  | 400 lm  | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|   | 1-60088<br>LED / DEL<br>Type BR20 - 1PK | 6.5W  | 460 lm  | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |    |
|  | 1-60089<br>LED / DEL<br>Type BR30 - 1PK | 9.5W  | 670 lm  | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 24     |  |
|  | 1-50040<br>LED / DEL<br>Type BR30 - 1PK | 9.5W  | 670 lm  | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 24     |  |
|  | 1-50037<br>LED / DEL<br>Type BR30 - 4PK | 9.5W  | 670 lm  | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 12     |  |
|  | 1-50082<br>LED / DEL<br>Type BR30 - 4PK | 9.5W  | 670 lm  | 5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 12     |  |
|  | 1-40065<br>LED / DEL<br>Type BR40 - 1PK | 18W   | 1500 lm | 3000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 4     | 12     |  |

SPECIALTY / SPÉCIALITÉ

|                                                                                       | Product / Produit                     | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|---------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40104<br>LED / DEL<br>Type G4 - 1CD | 2.5W  | 250 lm | 3000K | 120V                                                                                | Non dim.                                                                            | G4                                                                                  | 6     | 60     |    |
|    | 1-50062<br>LED / DEL<br>Type B6 - 1CD | 4W    | 350 lm | 3000K | 120V                                                                                | Dim.                                                                                | E12                                                                                 | 6     | 60     |    |
|    | 1-40052<br>LED / DEL<br>Type G9 - 4CD | 4.5W  | 450 lm | 6000K | 120V                                                                                | Dim.                                                                                | G9                                                                                  | 6     | 60     |    |
|  | 1-40100<br>LED / DEL<br>Type G9 - 1CD | 4.5W  | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | G9                                                                                  | 6     | 60     |  |
|  | 1-40101<br>LED / DEL<br>Type G9 - 1CD | 4.5W  | 500 lm | 6000K | 120V                                                                                | Dim.                                                                                | G9                                                                                  | 6     | 60     |  |
|  | 1-40102<br>LED / DEL<br>Type G9 - 4CD | 4.5W  | 500 lm | 3000K | 120V                                                                                | Dim.                                                                                | G9                                                                                  | 6     | 60     |  |
|  | 1-40103<br>LED / DEL<br>Type G9 - 4CD | 4.5W  | 500 lm | 6000K | 120V                                                                                | Dim.                                                                                | G9                                                                                  | 6     | 60     |  |

SPECIALTY / SPÉCIALITÉ

|                                                                                    | Product / Produit                                                       | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------|---------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40062<br>LED / DEL<br>R7S - 78 mm<br>Type J - 1CD                     | 8W    | 800 lm  | 5000K | 120V                                                                              | Dim.                                                                              | R7S                                                                                | 6     | 60     |    |
|    | 1-40063<br>LED / DEL<br>R7S - 118 mm<br>Type J - 1CD                    | 15W   | 1500 lm | 5000K | 120V                                                                              | Dim.                                                                              | R7S                                                                                | 6     | 60     |    |
|    | 1-40025<br>LED / DEL<br>3 way / 3 intensités<br>Type A19 - 1PK          | 9W    | 800 lm  | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 6     | 48     |    |
|  | 1-50061<br>LED / DEL<br>Closet light / Lumière pour placard - 1PK       | 11W   | 800 lm  | 4000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |
|  | 1-60001<br>LED / DEL<br>Night light / Veilleuse<br>White / Blanc - 2CD  | 1W    | 3.6 lm  | 4100K | 120V                                                                              | Non dim.                                                                          | E12                                                                                | 10    | 100    |  |
|  | 1-60002<br>LED / DEL<br>Night light / Veilleuse<br>Clear / Claire - 2CD | 1W    | 3.9 lm  | 4100K | 120V                                                                              | Non dim.                                                                          | E12                                                                                | 10    | 100    |  |
|  | 1-00830<br>LED / DEL<br>Flame effect<br>Effet de flamme - 1PK           | 2W    | N/A     | 1800K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 8     | 64     |  |

SPECIALTY / SPÉCIALITÉ

|                                                                                     | Product / Produit                                                                             | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                 |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------|--------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-40023<br>LED / DEL<br>Growing plant light<br>Ampoule de crois-<br>sance<br>Type A - 1PK     | 10W   | N/A    | N/A | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |  |
|  | 1-40024<br>LED / DEL<br>Growing plant light<br>Ampoule de crois-<br>sance<br>Type PAR38 - 1PK | 12W   | N/A    | N/A | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 24     |  |

Of all the colors contained inside the visible light spectrum, plants are most responsive to the energy contained inside red and blue wavelengths. Both types of energy play vital roles within plant photosynthesis processes where light energy is absorbed and converted into carbohydrate materials. These carbohydrate materials are then converted into food for the plant.

De toutes les couleurs contenues dans le spectre de lumière visibles, les plantes sont les plus sensibles à l'énergie contenue dans les longueurs d'onde rouges et bleues. Les deux types d'énergie jouent un rôle vital dans les processus de photosynthèse des plantes. Ces matières glucidiques sont ensuite transformées en nourriture pour la plante.



|                                                                                       |                                                                                                          |     |         |       |      |          |     |   |    |                                                                                       |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----|---------|-------|------|----------|-----|---|----|---------------------------------------------------------------------------------------|
|  | 1-50000<br>LED / DEL<br>Bug light - Anti insecte<br>Yellow - Jaune<br>Type A - 1CD                       | 5W  | 400 lm  | N/A   | 120V | Dim.     | E26 | 6 | 36 |  |
|  | 1-50083<br>LED / DEL<br>Dusk to dawn<br>Crépuscule<br>Type A - 1PK                                       | 10W | 800 lm  | 3000K | 120V | Non dim. | E26 | 6 | 48 |  |
|  | 1-40231<br>LED / DEL<br>Motion sensor / détec-<br>teur de mouvement<br>Garage light<br>Lumière de garage | 80W | 8000 lm | 5000K | 120V | Dim.     | E26 | 6 | 60 |  |


SELECTABLE BULBS / AMPOULES SÉLECTIONNABLES

|                                                                                    | Product / Produit                        | Watts | Lumens  | K                       |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|------------------------------------------|-------|---------|-------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40213<br>LED / DEL<br>Type MR16 - 1PK  | 7W    | 500 lm  | 3000K<br>4000K<br>5000K | 12V                                                                               | Dim.                                                                              | GU5.3<br>BI-PIN                                                                    | 10    | 100    |    |
|    | 1-40215<br>LED / DEL<br>Type GU10 - 1PK  | 7W    | 500 lm  | 3000K<br>4000K<br>5000K | 120V                                                                              | Dim.                                                                              | GU10                                                                               | 10    | 100    |    |
|   | 1-40208<br>LED / DEL<br>Type PAR16 - 1PK | 5.5W  | 500 lm  | 3000K<br>4000K<br>5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |   |
|  | 1-40209<br>LED / DEL<br>Type PAR20 - 1PK | 7W    | 500 lm  | 3000K<br>4000K<br>5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     |  |
|  | 1-40210<br>LED / DEL<br>Type PAR30 - 1PK | 11W   | 800 lm  | 3000K<br>4000K<br>5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |
|  | 1-40211<br>LED / DEL<br>Type PAR38 - 1PK | 14W   | 1000 lm | 3000K<br>4000K<br>5000K | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 24     |  |

SELECTABLE BULBS / AMPOULES SÉLECTIONNABLES

|                                                                                       | Product / Produit                                                 | Watts           | Lumens  | K                                         |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------|---------|-------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-40214<br>LED / DEL<br>Type MR16 - 2PK                           | 6.6W            | 500 lm  | 3000K<br>4000K<br>5000K                   | 12V                                                                                 | Dim.                                                                                | GU5.3<br>BI-PIN                                                                     | 6     | 36     |    |
|    | 1-40216<br>LED / DEL<br>Type GU10 - 2PK                           | 6W              | 450 lm  | 3000K<br>4000K<br>5000K                   | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 36     |    |
|    | 1-40225<br>LED / DEL<br>Type A19 - 1PK                            | 10W             | 800 lm  | 2700K<br>3000K<br>4000K<br>5000K<br>6500K | 120V                                                                                | Dim.                                                                                | GU24                                                                                | 6     | 48     |    |
|  | 1-40226<br>LED / DEL<br>Type A19 - 2PK                            | 6W              | 450 lm  | 3000K<br>4000K<br>5000K                   | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|  | 1-40227<br>LED / DEL<br>Type A19 - 2PK                            | 10W             | 800 lm  | 3000K<br>4000K<br>5000K                   | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|  | 1-40228<br>LED / DEL<br>Type A19 - 2PK                            | 12W             | 1100 lm | 3000K<br>4000K<br>5000K                   | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 24     |  |
|  | 1-40229<br>LED / DEL<br>Trilight / 3 intensités<br>Type A19 - 1PK | 2W<br>8W<br>15W | 1500 lm | 2700K                                     | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 48     |  |

T8 LED TUBE / T8 TUBE DEL

| Product / Produit                                                                                                        | Watts | Lumens  | K                                         |  |  |  | Inner | Master | UPC                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------|-------|---------|-------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
| 1-69909<br>LED / DEL<br>Type T8 Tube 4' - 1PK<br>(Compatible with and without Ballast / Compatible avec ou sans ballast) | 15W   | 2200 lm | 3000K<br>3500K<br>4000K<br>5000K<br>6500K | 120V<br>to/à<br>277V                                                              | Dim.                                                                              | G13                                                                                | 0     | 20     |    |
|                                         |       |         |                                           |                                                                                   |                                                                                   |                                                                                    |       |        |                                                                                       |
| 1-69911<br>LED / DEL<br>Type T8 Tube 4' - 1PK<br>(Compatible with Ballast / Compatible avec Ballast)                     | 14W   | 2200 lm | 4000K                                     | 120V<br>to/à<br>277V                                                              | Dim.                                                                              | G13                                                                                | 0     | 20     |    |
|                                       |       |         |                                           |                                                                                   |                                                                                   |                                                                                    |       |        |                                                                                       |
| 1-69912<br>LED / DEL<br>Type T8 Tube 4' - 1PK<br>(Compatible with Ballast / Compatible avec Ballast)                     | 14W   | 2200 lm | 5000K                                     | 120V<br>to/à<br>277V                                                              | Dim.                                                                              | G13                                                                                | 0     | 20     |  |
|                                       |       |         |                                           |                                                                                   |                                                                                   |                                                                                    |       |        |                                                                                       |
| 1-69913<br>LED / DEL<br>Type T8 Tube 4' - 1PK<br>(Direct - Ballast Not Compatible / Ballast Non Compatible)              | 14.5W | 2200 lm | 5000K                                     | 120V<br>to/à<br>277V                                                              | Non dim.                                                                          | G13                                                                                | 0     | 12     |  |
|                                       |       |         |                                           |                                                                                   |                                                                                   |                                                                                    |       |        |                                                                                       |

SMART BULB / AMPOULE INTELLIGENTE

| Product / Produit                                                                                                                                                                                                              | Watts | Lumens | K                                  |  |  |  | Inner | Master | UPC                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
| <br>1-40108<br>LED / DEL<br>Motion Detector<br>Décteur de mouvement<br>Type A19 - 1PK                                                       | 9W    | 800 lm | 3000K                              | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 48     |    |
| <br>1-50089<br>LED / DEL<br>Motion Detector<br>Décteur de mouvement<br>Type PAR38 - 1PK                                                     | 10W   | 750 lm | 5000K                              | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 6     | 24     |    |
| <br>1-50084<br>LED / DEL - Wi-Fi<br>Tunable white<br>Luminosité ajustable<br>Type A19 - 2PK                                                 | 10W   | 800 lm | 2700K<br>to/à<br>6500K             | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 4     | 24     |    |
| <br>1-50085<br>LED / DEL - Wi-Fi<br>Color changing &<br>Tunable white<br>Couleurs ajustable et<br>Luminosité ajustable<br>Type A19 - 2PK  | 10W   | 800 lm | RGB<br>+<br>2700K<br>to/à<br>6500K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 4     | 24     |  |
| <br>1-50086<br>LED / DEL - Wi-Fi<br>Tunable white<br>Luminosité ajustable<br>Type BR30 - 1PK                                              | 10W   | 650 lm | 2700K<br>to/à<br>6500K             | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 4     | 24     |  |
| <br>1-50076<br>LED / DEL - Wi-Fi<br>Color changing &<br>Tunable white<br>Couleurs ajustable et<br>Luminosité ajustable<br>Type BR30 - 1PK | 10W   | 650 lm | RGB<br>+<br>2700K<br>to/à<br>6500K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 4     | 24     |  |
| <br>1-50075<br>LED / DEL - Wi-Fi<br>Color changing &<br>Tunable white<br>Couleurs ajustable et<br>Luminosité ajustable<br>Type BR30 - 4PK | 10W   | 650 lm | RGB<br>+<br>2700K<br>to/à<br>6500K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 4     | 12     |  |

CFL / AFC



CFL BULBS / AMPOULES AFC

T2 SPIRAL / SPIRALE T2

|                                                                                       | Product / Produit                     | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|---------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-60200<br>CFL / AFC<br>Type T2 - 2PK | 9W    | 540 lm  | 2700K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |    |
|    | 1-60201<br>CFL / AFC<br>Type T2 - 2PK | 13W   | 900 lm  | 2700K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |    |
|    | 1-60202<br>CFL / AFC<br>Type T2 - 2PK | 23W   | 1600 lm | 2700K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |    |
|   | 1-60210<br>CFL / AFC<br>Type T2 - 2PK | 9W    | 540 lm  | 4100K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |    |
|  | 1-60211<br>CFL / AFC<br>Type T2 - 2PK | 13W   | 900 lm  | 4100K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |  |
|  | 1-60212<br>CFL / AFC<br>Type T2 - 2PK | 23W   | 1520 lm | 4100K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |  |
|  | 1-60220<br>CFL / AFC<br>Type T2 - 2PK | 9W    | 540 lm  | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |  |
|  | 1-60223<br>CFL / AFC<br>Type T2 - 2PK | 13W   | 900 lm  | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |  |
|  | 1-60222<br>CFL / AFC<br>Type T2 - 2PK | 23W   | 1520 lm | 5000K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 8      |  |

T2 SPIRAL / SPIRALE T2

|                                                                                    | Product / Produit                     | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|---------------------------------------|-------|---------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-60402<br>CFL / AFC<br>Type T2 - 4PK | 23W   | 1600 lm | 2700K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |    |
|    | 1-60411<br>CFL / AFC<br>Type T2 - 4PK | 13W   | 900 lm  | 4100K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |    |
|    | 1-60412<br>CFL / AFC<br>Type T2 - 4PK | 23W   | 1520 lm | 4100K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |    |
|   | 1-60423<br>CFL / AFC<br>Type T2 - 4PK | 13W   | 900 lm  | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |   |
|  | 1-60422<br>CFL / AFC<br>Type T2 - 4PK | 23W   | 1520 lm | 5000K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |
|  | 1-60107<br>CFL / AFC<br>Type T2 - 1PK | 13W   | 900 lm  | 2700K | 120V                                                                              | Non dim.                                                                          | GU24                                                                               | 0     | 8      |  |



T4 & T5 SPIRAL / SPIRALE

|                                                                                     | Product / Produit                     | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                 |
|-------------------------------------------------------------------------------------|---------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-60101<br>CFL / AFC<br>Type T4 - 1PK | 40W   | 2650 lm | 4100K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 4      |  |
|  | 1-60102<br>CFL / AFC<br>Type T5 - 1PK | 65W   | 4000 lm | 4100K | 120V                                                                                | Non dim.                                                                            | E26                                                                                 | 0     | 4      |  |

COLOR SPIRAL / SPIRALE COULEUR

|                                                                                       |                                                                                     |     |     |     |      |          |     |   |    |                                                                                       |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|-----|------|----------|-----|---|----|---------------------------------------------------------------------------------------|
|   | 1-60123<br>CFL / AFC<br>Bug light / Anti-insecte<br>Yellow / Jaune<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 |   |
|  | 1-60111<br>CFL / AFC<br>Blue / Bleu<br>Type T2 - 1PK                                | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 |  |
|  | 1-60112<br>CFL / AFC<br>Green / vert<br>Type T2 - 1PK                               | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 |  |
|  | 1-60113<br>CFL / AFC<br>Red / Rouge<br>Type T2 - 1PK                                | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 |  |
|  | 1-60110<br>CFL / AFC<br>Black light/ Ultra-violet<br>Type T2 - 1PK                  | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 |  |

TYPE A19

|                                                                                  | Product / Produit                      | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                 |
|----------------------------------------------------------------------------------|----------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-60109<br>CFL / AFC<br>Type A19 - 1PK | 14W   | 800 lm | 2700K | 120V                                                                              | Non dim.                                                                          | E26                                                                                | 0     | 6      |  |

TYPE PAR

|                                                                                    |                                          |     |         |       |      |          |     |   |   |                                                                                       |
|------------------------------------------------------------------------------------|------------------------------------------|-----|---------|-------|------|----------|-----|---|---|---------------------------------------------------------------------------------------|
|    | 1-60103<br>CFL / AFC<br>Type PAR20 - 1PK | 9W  | 330 lm  | 4100K | 120V | Non dim. | E26 | 0 | 6 |    |
|   | 1-60104<br>CFL / AFC<br>Type PAR30 - 1PK | 15W | 630 lm  | 4100K | 120V | Non dim. | E26 | 0 | 4 |   |
|  | 1-60105<br>CFL / AFC<br>Type PAR38 - 1PK | 23W | 1070 lm | 4100K | 120V | Non dim. | E26 | 0 | 4 |  |

TYPE R30

|                                                                                    |                                        |     |        |       |      |          |     |   |   |                                                                                       |
|------------------------------------------------------------------------------------|----------------------------------------|-----|--------|-------|------|----------|-----|---|---|---------------------------------------------------------------------------------------|
|  | 1-60722<br>CFL / AFC<br>Type R30 - 2PK | 15W | 750 lm | 2700K | 120V | Non dim. | E26 | 0 | 4 |  |
|------------------------------------------------------------------------------------|----------------------------------------|-----|--------|-------|------|----------|-----|---|---|---------------------------------------------------------------------------------------|



FLUO. TUBE

|                                                                                       | Product / Produit                                                                        | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-69906<br>CFL / AFC<br>48" - T8 Tube (4')<br>Fluo triphosphore - 2PK                    | 32W   | 3050 lm | 4100K | 120V                                                                                | Non dim.                                                                            | G13                                                                                 | 0     | 12     |    |
|    | 1-69907<br>CFL / AFC<br>48" - T8 Tube (4')<br>Fluo triphosphore - 2PK                    | 32W   | 2900 lm | 5000K | 120V                                                                                | Non dim.                                                                            | G13                                                                                 | 0     | 12     |    |
|    | 1-69908<br>CFL / AFC<br>48" - T8 Tube (4')<br>Fluo triphosphore - 2PK                    | 32W   | 2900 lm | 6500K | 120V                                                                                | Non dim.                                                                            | G13                                                                                 | 0     | 12     |    |
|  | 1-63090<br>CFL / AFC<br>18" - T8 Tube (1.5')<br>Black light / Ultra-violet<br>Fluo - 1CD | 15W   | N/A     | N/A   | 120V                                                                                | Non dim.                                                                            | G13                                                                                 | 6     | 24     |  |

PL13 / 2U

|                                                                                       |                                                                          |     |        |       |      |          |        |   |    |                                                                                       |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----|--------|-------|------|----------|--------|---|----|---------------------------------------------------------------------------------------|
|  | 1-60199<br>CFL / AFC<br>Type PL13 - 1CD                                  | 13W | 825 lm | 4100K | 120V | Non dim. | Bi-pin | 6 | 36 |  |
|  | 1-00831<br>CFL / AFC - Full<br>spectrum / Spectre<br>complet Type 2U-1PK | 13W | 800 lm | 6400K | 120V | Non dim. | 4-pin  | 6 | 36 |  |



INCANDESCENT  
Bulbs  
Ampoules  
INCANDESCENTES

INCAN. BULBS / AMPOULES INCAN.

TYPE A19

|                                                                                       | Product / Produit                                                     | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-63901<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK   | 40W   | 300 lm  | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |    |
|    | 1-63902<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK   | 60W   | 560 lm  | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |    |
|   | 1-63903<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK   | 100W  | 1020 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |   |
|  | 1-63905<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 40W   | 290 lm  | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |  |
|  | 1-63906<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 60W   | 550 lm  | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |  |
|  | 1-63907<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 100W  | 1000 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 0     | 24     |  |

A19 COLOR / COULEUR

|                                                                                    | Product / Produit                                                                                         | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------|--------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-63011<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Blue / Bleu<br>Type A19 - 1PK                     | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |    |
|    | 1-63012<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Green / Vert<br>Type A19 - 1PK                    | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |    |
|    | 1-63013<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Red / Rouge<br>Type A19 - 1PK                     | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |    |
|  | 1-63014<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Amber / Ambre<br>Type A19 - 1PK                   | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |  |
|  | 1-63015<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Yellow / Jaune<br>Type A19 - 1PK                  | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |  |
|  | 1-63006<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Black light / Ultra-vi-<br>olet<br>Type A19 - 1PK | 75W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 60     |  |
|  | 1-63005<br>INCAN. Bulbs / Ampo.<br>Bug light / Anti-insecte<br>Yellow / Jaune<br>Type A19 - 2PK           | 60W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 0     | 12     |  |

A15 - APPLIANCE / APPAREIL

|                                                                                      | Product / Produit                                                            | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                  |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|--------------------------------------------------------------------------------------|
|   | 1-63041<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A15 - 1CD          | 40W   | 320 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 60     |   |
|   | 1-63042<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A15 - 1CD        | 40W   | 320 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 60     |   |
|   | 1-63101<br>INCAN. Bulbs / Ampo.<br>Clear-Fan/Claire-Venti.<br>Type A15 - 2CD | 40W   | 320 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 36     |   |
|  | 1-63113<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A15 - 2CD          | 60W   | 550 lm | 2700K | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 6     | 60     |  |

TYPE G25

|                                                                                       |                                                               |     |        |       |      |      |     |   |    |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|---------------------------------------------------------------------------------------|
|  | 1-63003<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 1PK | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 72 |  |
|  | 1-63004<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 1PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 6 | 72 |  |
|  | 1-63111<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 3PK | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 24 |  |

TYPE G16.5


|                                                                                    | Product / Produit                                                | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|------------------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-63046<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 25W   | 170 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |    |
|    | 1-63047<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 40W   | 360 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |    |
|    | 1-63048<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 60W   | 600 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |    |
|   | 1-63049<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD  | 25W   | 150 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |   |
|  | 1-63050<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD  | 40W   | 320 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |  |
|  | 1-63051<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD  | 60W   | 550 lm | 2700K | 130V                                                                              | Dim.                                                                              | E12                                                                                | 10    | 100    |  |



TYPE S11

|                                                                                       | Product / Produit                                                              | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-63019<br>High intensity / Haute intensité - Clear / Claire<br>Type S11 - 1CD | 25W   | 170 lm | 2700K | 130V                                                                                | Dim.                                                                                | E17                                                                                 | 10    | 100    |    |
|    | 1-63020<br>High intensity / Haute intensité - Clear / Claire<br>Type S11 - 1CD | 40W   | 360 lm | 2700K | 130V                                                                                | Dim.                                                                                | E17                                                                                 | 10    | 100    |    |
|    | 1-63061<br>Indicator / Indication<br>Green / Vert<br>Type S11 - 1CD            | 7.5W  | N/A    | N/A   | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |    |
|   | 1-63062<br>Indicator / Indication<br>Blue / Bleu<br>Type S11 - 1CD             | 7.5W  | N/A    | N/A   | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |   |
|  | 1-63067<br>Indicator / Indication<br>Red / Rouge<br>Type S11 - 1CD             | 7.5W  | N/A    | N/A   | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |  |
|  | 1-63069<br>Indicator / Indication<br>Yellow / Jaune<br>Type S11 - 1CD          | 7.5W  | N/A    | N/A   | 130V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |  |

S14 COLOR / COULEUR

|                                                                                       |                                                                                             |     |     |     |      |      |     |    |     |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----|-----|-----|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|  | 1-63054<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Amber / Ambre<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 |  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----|-----|-----|------|------|-----|----|-----|---------------------------------------------------------------------------------------|

INCAN. BULBS / AMPOULES INCAN.

S14 color / couleur

|                                                                                    | Product / Produit                                                                            | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------|--------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-63055<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Green / Vert<br>Type S14 - 1PK   | 11W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 120    |    |
|    | 1-63056<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Blue / Bleu<br>Type S14 - 1PK    | 11W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 120    |    |
|    | 1-63057<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Red / Rouge<br>Type S14 - 1PK    | 11W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 120    |    |
|  | 1-63058<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Yellow / Jaune<br>Type S14 - 1PK | 11W   | N/A    | N/A | 130V                                                                              | Dim.                                                                              | E26                                                                                | 12    | 120    |  |

TYPE C7

|                                                                                    |                                                                       |    |       |       |      |      |     |    |     |                                                                                       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|----|-------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|  | 1-63007<br>Night light / Veilleuse<br>Clear / Claire<br>Type C7 - 2CD | 7W | 22 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |  |
|  | 1-63008<br>Night light / Veilleuse<br>White / Blanc<br>Type C7 - 2CD  | 7W | 20 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |  |

INCAN. BULBS / AMPOULES INCAN.

TYPE T6

|                                                                                     | Product / Produit                                                           | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                 |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-63070<br>Exit sign / Enseigne<br>sortie - Clear / Claire<br>Type T6 - 1CD | 15W   | 90 lm  | 2700K | 145V                                                                                | Dim.                                                                                | E12                                                                                 | 10    | 100    |  |

TYPE T7

|                                                                                       |                                                                    |     |        |       |      |      |     |    |     |                                                                                       |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|    | 1-63071<br>Appliance / Électro.<br>Clear / Claire<br>Type T7 - 1CD | 15W | 90 lm  | 2700K | 130V | Dim. | E12 | 10 | 100 |    |
|   | 1-63072<br>Appliance / Électro.<br>Clear / Claire<br>Type T7 - 1CD | 15W | 90 lm  | 2700K | 130V | Dim. | E17 | 10 | 100 |   |
|  | 1-63073<br>Appliance / Électro.<br>Clear / Claire<br>Type T8 - 1CD | 25W | 170 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |  |

TYPE T10

|                                                                                       |                                                                    |     |        |       |      |      |     |    |     |                                                                                       |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|  | 1-63016<br>Tubular / Tubulaire<br>Clear / Claire<br>Type T10 - 1CD | 25W | 160 lm | 2700K | 120V | Dim. | E26 | 10 | 100 |  |
|  | 1-63017<br>Tubular / Tubulaire<br>Clear / Claire<br>Type T10 - 1CD | 40W | 280 lm | 2700K | 120V | Dim. | E26 | 10 | 100 |  |

TYPE B8 / B9

|                                                                                   | Product / Produit                                       | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                 |
|-----------------------------------------------------------------------------------|---------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-63027<br>Chandelier - Type B8<br>Clear / Claire - 2CD | 15W   | 100 lm | 2700K | 120V                                                                              | Dim.                                                                              | E12                                                                                 | 10    | 100    |  |
|  | 1-63028<br>Chandelier - Type B8<br>Clear / Claire - 2CD | 25W   | 160 lm | 2700K | 120V                                                                              | Dim.                                                                              | E12                                                                                 | 10    | 100    |  |

TYPE B10

|                                                                                     |                                                          |     |        |       |      |      |     |    |     |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|   | 1-63029<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 25W | 170 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |   |
|  | 1-63030<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 40W | 360 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |  |
|  | 1-63031<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 60W | 600 lm | 2700K | 130V | Dim. | E12 | 10 | 100 |  |

TYPE B11

|                                                                                     |                                                          |     |        |       |      |      |     |    |     |                                                                                       |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|  | 1-63021<br>Chandelier - Type B11<br>Clear / Claire - 2CD | 25W | 170 lm | 2700K | 120V | Dim. | E26 | 10 | 100 |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|

type B11

|                                                                                     | Product / Produit                                                             | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-63022<br>Chandelier - Type B11<br>Clear / Claire - 2CD                      | 40W   | 360 lm | 2700K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |  |
|  | 1-63023<br>Chandelier - Type B11<br>Clear / Claire - 2CD                      | 60W   | 600 lm | 2700K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |  |
|  | 1-63100<br>Chandelier - Type B11<br>Fan / Ventilateur<br>Clear / Claire - 2CD | 40W   | 360 lm | 2700K | 120V                                                                                | Dim.                                                                                | E26                                                                                 | 10    | 100    |  |

TYPE R14

|                                                                                       |                                                                     |     |        |       |      |      |     |    |     |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----|--------|-------|------|------|-----|----|-----|---------------------------------------------------------------------------------------|
|  | 1-63077<br>Accent / D’appoint<br>Frosted / Givrée<br>Type R14 - 1CD | 25W | 170 lm | 2700K | 120V | Dim. | E17 | 10 | 100 |  |
|  | 1-63080<br>Accent / D’appoint<br>Frosted / Givrée<br>Type R14 - 1CD | 40W | 280 lm | 2700K | 120V | Dim. | E17 | 10 | 100 |  |

TYPE BR30

|                                                                                       |                                                                               |     |        |       |      |      |     |   |    |                                                                                       |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|---------------------------------------------------------------------------------------|
|  | 1-63087<br>Flood light / Faisceau<br>large - White / Blanc<br>Type BR30 - 1PK | 65W | 580 lm | 2700K | 130V | Dim. | E26 | 6 | 36 |  |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|---------------------------------------------------------------------------------------|

HALOGEN  
HALOGÈNE



HALOGEN BULBS / AMP. HALOGÈNE

MR16 - GU10

| Product / Produit                                                                                                                                                                 | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
| <br>1-62028<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD   | 50W   | 700 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 60     |    |
| <br>1-62003<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD   | 20W   | 190 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 60     |    |
| <br>1-62005<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD   | 35W   | 400 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 60     |    |
| <br>1-62006<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD  | 50W   | 700 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 60     |   |
| <br>1-62007<br>Cool beam - Glass cover / Faisceau frais Couvercle verre<br>Type MR16 - 2CD   | 50W   | 400 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 60     |  |
| <br>1-62064<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 4PK | 50W   | 700 lm | 2700K | 120V                                                                                | Dim.                                                                                | GU10                                                                                | 6     | 48     |  |



MR16 - GU5.3 BI-PIN

|                                                                                    | Product / Produit                                                                                  | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-62022<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD           | 20W   | 260 lm | 2700K | 12V                                                                               | Dim.                                                                              | GU5.3 Bi-pin                                                                       | 6     | 60     |    |
|    | 1-62013<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD           | 35W   | 500 lm | 2700K | 12V                                                                               | Dim.                                                                              | GU5.3 Bi-pin                                                                       | 6     | 60     |    |
|    | 1-62024<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD           | 50W   | 825 lm | 2700K | 12V                                                                               | Dim.                                                                              | GU5.3 Bi-pin                                                                       | 6     | 60     |    |
|   | 1-62078<br>Flood light - No glass cover / Faisceau large Pas de couvercle verre<br>Type MR16 - 2CD | 50W   | 825 lm | 2700K | 12V                                                                               | Dim.                                                                              | GU5.3 Bi-pin                                                                       | 6     | 60     |   |
|  | 1-62053<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 3PK           | 50W   | 825 lm | 2700K | 12V                                                                               | Dim.                                                                              | GU5.3 Bi-pin                                                                       | 10    | 100    |  |



T3 JCD - G4 BI-PIN

|                                                                                     | Product / Produit                              | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                 |
|-------------------------------------------------------------------------------------|------------------------------------------------|-------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------------------------------------------------------------------------------|
|  | 1-62016<br>Clear / Claire<br>Type T3 JCD - 2CD | 10W   | 105 lm | 2700K | 12V                                                                                 | Dim.                                                                                | G4 Bi-pin                                                                           | 10    | 100    |  |
|  | 1-62018<br>Clear / Claire<br>Type T3 JCD - 1CD | 20W   | 260 lm | 2700K | 12V                                                                                 | Dim.                                                                                | G4 Bi-pin                                                                           | 10    | 100    |  |
|  | 1-62040<br>Clear / Claire<br>Type T3 JCD - 2CD | 20W   | 260 lm | 2700K | 12V                                                                                 | Dim.                                                                                | G4 Bi-pin                                                                           | 10    | 100    |  |

T4 JCD - GY6.35 BI-PIN

|                                                                                       |                                                |     |        |       |     |      |               |    |     |                                                                                       |
|---------------------------------------------------------------------------------------|------------------------------------------------|-----|--------|-------|-----|------|---------------|----|-----|---------------------------------------------------------------------------------------|
|  | 1-62020<br>Clear / Claire<br>Type T4 JCD - 2CD | 35W | 500 lm | 2700K | 12V | Dim. | GY6.35 Bi-pin | 10 | 100 |  |
|  | 1-62019<br>Clear / Claire<br>Type T4 JCD - 1CD | 50W | 825 lm | 2700K | 12V | Dim. | GY6.35 Bi-pin | 10 | 100 |  |
|  | 1-62041<br>Clear / Claire<br>Type T4 JCD - 2CD | 50W | 825 lm | 2700K | 12V | Dim. | GY6.35 Bi-pin | 10 | 100 |  |

T4 JCD - G9

|                                                                                     | Product / Produit                                | Watts | Lumens | K     |  |  |  | Inner | Master | UPC                                                                                   |
|-------------------------------------------------------------------------------------|--------------------------------------------------|-------|--------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-62083<br>Clear / Claire<br>Type T4 JCD - 1CD   | 20W   | 205 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |    |
|    | 1-62014<br>Clear / Claire<br>Type T4 JCD - 1CD   | 25W   | 250 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |    |
|    | 1-62009<br>Clear / Claire<br>Type T4 JCD - 1CD   | 35W   | 350 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |    |
|   | 1-62010<br>Frosted / Givrée<br>Type T4 JCD - 1CD | 35W   | 350 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |   |
|  | 1-62000<br>Clear / Claire<br>Type T4 JCD - 1CD   | 40W   | 400 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |  |
|  | 1-62001<br>Clear / Claire<br>Type T4 JCD - 4CD   | 40W   | 400 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |  |
|  | 1-62021<br>Clear / Claire<br>Type T4 JCD - 1CD   | 50W   | 550 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |  |
|  | 1-62011<br>Clear / Claire<br>Type T4 JCD - 1CD   | 60W   | 700 lm | 2700K | 120V                                                                              | Dim.                                                                              | G9                                                                                 | 10    | 100    |  |

T3 JCD - RSC (78 MM)

|                                                                                       | Product / Produit                              | Watts | Lumens  | K     |  |  |  | Inner | Master | UPC                                                                                   |
|---------------------------------------------------------------------------------------|------------------------------------------------|-------|---------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------------------------------|
|    | 1-62038<br>Clear / Claire<br>Type T3 JCD - 1CD | 75W   | 500 lm  | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |    |
|    | 1-62035<br>Clear / Claire<br>Type T3 JCD - 1CD | 100W  | 1057 lm | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |    |
|    | 1-62079<br>Clear / Claire<br>Type T3 JCD - 2CD | 100W  | 1057 lm | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |    |
|   | 1-62032<br>Clear / Claire<br>Type T3 JCD - 1CD | 150W  | 1800 lm | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |   |
|  | 1-62080<br>Clear / Claire<br>Type T3 JCD - 2CD | 150W  | 1800 lm | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |  |
|  | 1-62037<br>Clear / Claire<br>Type T3 JCD - 1CD | 250W  | 3000 lm | 2700K | 130V                                                                                | Dim.                                                                                | RSC                                                                                 | 10    | 100    |  |



T3 JCD - RSC (118 MM)

|                                                                                     | Product / Produit                              | Watts | Lumens  | K     | ⚡    | 🔄    | 📶   | Inner | Master | UPC             |
|-------------------------------------------------------------------------------------|------------------------------------------------|-------|---------|-------|------|------|-----|-------|--------|-----------------|
|    | 1-62033<br>Clear / Claire<br>Type T3 JCD - 1CD | 100W  | 725 lm  | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62033 6 |
|    | 1-62031<br>Clear / Claire<br>Type T3 JCD - 1CD | 150W  | 1650 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62031 2 |
|    | 1-62029<br>Clear / Claire<br>Type T3 JCD - 1CD | 200W  | 2500 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62029 9 |
|  | 1-62034<br>Clear / Claire<br>Type T3 JCD - 1CD | 300W  | 4505 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62034 3 |
|  | 1-62081<br>Clear / Claire<br>Type T3 JCD - 2CD | 300W  | 4505 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62081 7 |
|  | 1-62036<br>Clear / Claire<br>Type T3 JCD - 1CD | 500W  | 8050 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62036 7 |
|  | 1-62082<br>Clear / Claire<br>Type T3 JCD - 2CD | 500W  | 8050 lm | 2700K | 130V | Dim. | RSC | 10    | 100    | 6 21139 62082 4 |



TYPE A19

|                                                                                      | Product / Produit                                                        | Watts | Lumens  | K     | ⚡    | 🔄    | 📶   | Inner | Master | UPC             |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------|---------|-------|------|------|-----|-------|--------|-----------------|
|  | 1-64080<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type A19 - 4PK | 72W   | 1400 lm | 2700K | 120V | Dim. | E26 | 4     | 24     | 6 21139 64080 8 |

TYPE B11

|                                                                                       |                                                                            |     |        |       |      |      |     |   |    |                 |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|-----------------|
|  | 1-64061<br>Halogen / Halogène<br>Clear/Claire - Chandel.<br>Type B11 - 2PK | 29W | 380 lm | 2700K | 120V | Dim. | E26 | 6 | 60 | 6 21139 64061 7 |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|-----------------|

TYPE G25

|                                                                                       |                                                                          |     |        |       |      |      |     |   |    |                 |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----|--------|-------|------|------|-----|---|----|-----------------|
|  | 1-64067<br>Halogen / Halogène<br>Clear / Claire<br>Type G25 - 2PK        | 29W | 380 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 6 21139 64067 9 |
|  | 1-64069<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type G25 - 2PK | 29W | 360 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 6 21139 64069 3 |

# OLD FASHIONED À L'ANCIENNE

## VINTAGE / À L'ANCIENNE

| Product / Produit                                                                                                                                                                  | Watts | Lumens | K   |  |  |  | Inner | Master | UPC                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|--------|----------------------------------------------------------------------------------------------------------|
| <br><b>1-63106</b><br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type S - 1PK  | 60W   | 220 lm | N/A | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     | <br>6 21139 63106 6 |
| <br><b>1-63107</b><br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type G - 1PK  | 60W   | 200 lm | N/A | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 48     | <br>6 21139 63107 3 |
| <br><b>1-63108</b><br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type T - 1PK | 60W   | 200 lm | N/A | 120V                                                                              | Dim.                                                                              | E26                                                                                | 6     | 96     | <br>6 21139 63108 0 |



## NOTES

[illegible]



# CATALOGUE D'AMPOULES

# BULBS CATALOG

2026



341 Allée Du Golf  
St-Eustache, Québec  
Canada J7R 0L5

Tel : 450 472 0280  
Fax: 450 472 1280

E-mail: [info@jessar.ca](mailto:info@jessar.ca)  
[www.jessar.ca](http://www.jessar.ca)

January 2026