



CATALOGUE D'AMPOULES
BULBS CATALOG

2024



BULB REFERENCE / RÉFÉRENCES D'AMPOULES

INCANDESCENT & HALOGEN / INCANDESCENTE & HALOGÈNE

COMPACT FLUO / FLUOCOMPACT



A-TYPE

GENERAL HOUSEHOLD




CFL




A-TYPE CFL



Par-type



R-type




BR-type

FLOOD LIGHT



R-type



BR-type



B-type




F-type

DECORATIVE



B-type



G-type

VANITY



G-type



MR16



MR16
GU10 base

HALOGEN



culot GU10 base

SPECIALTY / SPÉCIALITÉ



T-type



S-type



C-type




T3



JC-type
culot G9 base



JC-type
culot bi-pin base



circline

BASES / CULOT




Candelabra (E12)



European (E14)



Intermediate (E17)



Medium (E26)



GU10



GU24



Jessar Industries Inc. is a family business founded in 1996. Through many years of experience in the import and distribution of household articles in the retail stores, Jessar refines its product ranges to specialize not only in household products but also in electrical products .

In just a few years, Jessar knew how to differentiate itself in its category of electrical products by creating its own Xtricity brand. In analyzing the needs of its clientele, Jessar mounted a comprehensive range of products for light bulbs, combining a superior quality as well as following the latest norms of governmental standards in order to be at the cutting edge of technology.

With its dedication to quality and customer service, Jessar distributes today its products across Canada in a variety of stores, including retail stores as well as the clients with national accounts.

Jessar hopes with the support of its loyal customers to continue being a leader in its field.

Les Industries Jessar Inc. est une entreprise familiale fondée en 1996. À travers plusieurs années d'expérience dans l'importation et la distribution d'articles domestiques dans les commerces de détail, Jessar épure ses gammes de produits pour se spécialiser dans les produits électriques et les produits pour la maison.

En quelques années seulement, Jessar su comment se démarquer dans sa catégorie de produits électriques de marque Xtricity. En analysant les besoins de sa clientèle, Jessar monte une gamme de produits complète pour les ampoules, combinant une qualité supérieure ainsi que le respect des plus récentes normes gouvernementales afin d'être à la fine pointe de la technologie.

Avec son dévouement pour la qualité et son service à la clientèle, Jessar distribue aujourd'hui ses produits à travers le Canada dans une variété de magasins, incluant les magasins à grandes surface et les clients de comptes nationaux.

Elle désire, avec l'appui de sa fidèle clientèle, continuer à être un leader dans son domaine.







LED / DEL

.....






















LED BULBS / AMPOULES DEL

TYPE A








Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40019 LED / DEL Type A19 - 1PK</p>	6W	450 lm	3000K	120V	Non dim.	E26	6	48	6 21139 40019 8
 <p>1-40020 LED / DEL Type A19 - 1PK</p>	6W	450 lm	5000K	120V	Non dim.	E26	6	48	6 21139 40020 4
 <p>1-40086 LED / DEL Type A19 - 1CD</p>	6W	450 lm	3000K	120V	Non dim.	E26	6	48	6 21139 40086 0
 <p>1-40087 LED / DEL Type A19 - 1CD</p>	6W	450 lm	5000K	120V	Non dim.	E26	6	48	6 21139 40087 7
 <p>1-40084 LED / DEL Type A19 - 4PK</p>	6W	450 lm	3000K	120V	Non dim.	E26	0	6	6 21139 40084 6
 <p>1-40085 LED / DEL Type A19 - 4PK</p>	6W	450 lm	5000K	120V	Non dim.	E26	0	6	6 21139 40085 3
 <p>1-40082 LED / DEL Type A19 - 1CD</p>	9W	800 lm	3000K	120V	Non dim.	E26	6	48	6 21139 40082 2
 <p>1-40022 LED / DEL Type A19 - 1CD</p>	10W	720 lm	5000K	120V	Non dim.	E26	6	48	6 21139 40022 8

TYPE A









Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-40001 LED / DEL Type A19 - 1PK</p>	9W	800 lm	3000K	120V	Non dim.	E26	6	48	
 <p>1-40004 LED / DEL Type A19 - 1PK</p>	9W	800 lm	5000K	120V	Non dim.	E26	6	48	
 <p>1-40002 LED / DEL Type A19 - 2PK</p>	9W	800 lm	3000K	120V	Non dim.	E26	0	12	
 <p>1-40005 LED / DEL Type A19 - 2PK</p>	9W	800 lm	5000K	120V	Non dim.	E26	0	12	
 <p>1-40003 LED / DEL Type A19 - 6PK</p>	9W	800 lm	3000K	120V	Non dim.	E26	0	6	
 <p>1-40006 LED / DEL Type A19 - 6PK</p>	9W	800 lm	5000K	120V	Non dim.	E26	0	6	
 <p>1-40150 LED / DEL Type A19 - 10PK</p>	9W	800 lm	3000K	120V	Non dim.	E26	0	6	
 <p>1-40151 LED / DEL Type A19 - 10PK</p>	9W	800 lm	5000K	120V	Non dim.	E26	0	6	

LED BULBS / AMPOULES DEL

TYPE A

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40158 LED / DEL Type A19 - 1CD</p>	12W	1100 lm	3000K	120V	Non dim.	E26	6	36	6 21139 40158 4
 <p>1-40159 LED / DEL Type A19 - 1CD</p>	12W	1100 lm	5000K	120V	Non dim.	E26	6	36	6 21139 40159 1
 <p>1-40154 LED / DEL Type A19 - 6PK</p>	12W	1100 lm	3000K	120V	Non dim.	E26	0	6	6 21139 40154 6
 <p>1-40155 LED / DEL Type A19 - 6PK</p>	12W	1100 lm	5000K	120V	Non dim.	E26	0	6	6 21139 40155 3
 <p>1-40156 LED / DEL Type A19 - 6PK</p>	12W	1100 lm	3000K	120V	Dim.	E26	0	6	6 21139 40156 0
 <p>1-40157 LED / DEL Type A19 - 6PK</p>	12W	1100 lm	5000K	120V	Dim.	E26	0	6	6 21139 40157 7
 <p>1-50017 LED / DEL Type A19 - 1PK</p>	10W	800 lm	3000K	12V	Non dim.	E26	6	48	6 21139 50017 1
 <p>1-50018 LED / DEL Type A19 - 1PK</p>	10W	800 lm	3000K	120V	Dim.	GU24	6	48	6 21139 50018 8

TYPE A
















Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40007 LED / DEL Type A19 - 1PK</p>	9.5W	800 lm	3000K	120V	Dim.	E26	6	48	6 21139 40007 5
 <p>1-40010 LED / DEL Type A19 - 1PK</p>	9.5W	800 lm	5000K	120V	Dim.	E26	6	48	6 21139 40010 5
 <p>1-40008 LED / DEL Type A19 - 2PK</p>	9.5W	800 lm	3000K	120V	Dim.	E26	0	12	6 21139 40008 2
 <p>1-40011 LED / DEL Type A19 - 2PK</p>	9.5W	800 lm	5000K	120V	Dim.	E26	0	12	6 21139 40011 2
 <p>1-40009 LED / DEL Type A19 - 6PK</p>	9.5W	800 lm	3000K	120V	Dim.	E26	0	6	6 21139 40009 9
 <p>1-40012 LED / DEL Type A19 - 6PK</p>	9.5W	800 lm	5000K	120V	Dim.	E26	0	6	6 21139 40012 9
 <p>1-40152 LED / DEL Type A19 - 10PK</p>	9.5W	800 lm	3000K	120V	Dim.	E26	0	6	6 21139 40152 2
 <p>1-40153 LED / DEL Type A19 - 10PK</p>	9.5W	800 lm	5000K	120V	Dim.	E26	0	6	6 21139 40153 9

LED BULBS / AMPOULES DEL





TYPE A

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50041 LED / DEL Type A19 - 1PK Omni-direc.</p> 	17W	1600 lm	3000K	120V	Dim.	E26	6	48	 6 21139 50041 6
 <p>1-50042 LED / DEL Type A19 - 1PK Omni-direc.</p> 	17W	1600 lm	5000K	120V	Dim.	E26	6	48	 6 21139 50042 3
 <p>1-50091 LED / DEL Type A19 - 6PK Omni-direc.</p> 	17W	1600 lm	3000K	120V	Dim.	E26	0	6	 6 21139 50091 1
 <p>1-50092 LED / DEL Type A19 - 6PK Omni-direc.</p> 	17W	1600 lm	5000K	120V	Dim.	E26	0	6	 6 21139 50092 8
 <p>1-40067 LED / DEL Type A15 - 1CD Fan / Ventilateur</p>	7W	500 lm	5000K	120V	Dim.	E26	6	48	 6 21139 40067 9
 <p>1-40055 LED / DEL Type A15 - 2PK</p>	7W	500 lm	3000K	120V	Dim.	E26	6	120	 6 21139 40055 6
 <p>1-40056 LED / DEL Type A15 - 2PK</p>	7W	500 lm	5000K	120V	Dim.	E26	6	120	 6 21139 40056 3

FILAMENT

















Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 <p>1-40091 LED / DEL - Filament Clear / Clair Type A19 - 1CD</p> 	9W	800 lm	3000K	120V	Dim.	E26	6	48	6 21139 40091 4
 <p>1-40092 LED / DEL - Filament Clear / Clair Type A19 - 1CD</p> 	9W	800 lm	5000K	120V	Dim.	E26	6	48	6 21139 40092 1
 <p>1-40093 LED / DEL - Filament Clear / Clair Type A19 - 2PK</p> 	9W	800 lm	3000K	120V	Dim.	E26	12	48	6 21139 40093 8
 <p>1-40094 LED / DEL - Filament Clear / Clair Type A19 - 2PK</p> 	9W	800 lm	5000K	120V	Dim.	E26	12	48	6 21139 40094 5
 <p>1-40095 LED / DEL - Filament Clear / Clair Type A19 - 6PK</p> 	9W	800 lm	3000K	120V	Dim.	E26	0	12	6 21139 40095 2
 <p>1-40096 LED / DEL - Filament Clear / Clair Type A19 - 6PK</p> 	9W	800 lm	5000K	120V	Dim.	E26	0	12	6 21139 40096 9
 <p>1-40097 LED / DEL - Filament Clear / Clair Type S - 1CD</p> 	6.2W	700 lm	3000K	120V	Dim.	E26	6	48	6 21139 40097 6
 <p>1-40049 LED / DEL - Filament Clear / Clair Type S - 4PK</p> 	6.2W	700 lm	3000K	120V	Dim.	E26	0	6	6 21139 40049 5

FILAMENT

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40053 LED / DEL - Filament Clear / Clair Type S14 - 2CD</p>	3W	300 lm	3000K	120V	Dim.	E26	6	60	6 21139 40053 2
 <p>1-40066 LED / DEL - Filament White / Blanc Type G25 - 2PK</p>	5W	500 lm	3000K	120V	Dim.	E26	6	36	6 21139 40066 2
 <p>1-40044 LED / DEL - Filament Clear / Clair Type G25 - 2PK</p>	5W	500 lm	3000K	120V	Dim.	E26	6	36	6 21139 40044 0
 <p>1-50049 LED / DEL - Filament Clear / Clair Type G16.5 - 1CD</p>	5.5W	500 lm	3000K	120V	Dim.	E12	6	48	6 21139 50049 2
 <p>1-50056 LED / DEL - Filament Clear / Clair Type T10 - 1CD</p>	4.5W	400 lm	3000K	120V	Dim.	E26	6	48	6 21139 50056 0
 <p>1-40105 LED / DEL - Filament Clear / Clair Type T6 - 1CD</p>	2W	300 lm	3000K	120V	Dim.	E12	6	60	6 21139 40105 8
 <p>1-40106 LED / DEL - Filament Clear / Clair Type T6 - 1CD</p>	2W	300 lm	3000K	120V	Dim.	E17	6	60	6 21139 40106 5










LED BULBS / AMPOULES DEL

FILAMENT

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40031 LED / DEL - Filament Clear / Clair Type C - 2CD</p> 	5.5W	500 lm	3000K	120V	Dim.	E12	6	24	 6 21139 40031 0
 <p>1-40032 LED / DEL - Filament Frosted / Givrée Type C - 2CD</p> 	5.5W	500 lm	3000K	120V	Dim.	E12	6	24	 6 21139 40032 7
 <p>1-40033 LED / DEL - Filament Clear / Clair Type C - 2CD</p> 	5.5W	500 lm	3000K	120V	Dim.	E26	6	24	 6 21139 40033 4
 <p>1-40036 LED / DEL - Filament Frosted / Givrée Type C - 2CD</p> 	5.5W	500 lm	3000K	120V	Dim.	E26	6	24	 6 21139 40036 5
 <p>1-40075 LED / DEL - Filament Clear / Clair Type C - 2CD</p>	4.5W	500 lm	3000K	120V	Dim.	E14	6	24	 6 21139 40075 4
 <p>1-40045 LED / DEL - Filament Clear / Clair Type C - 4CD</p>	3.5W	300 lm	3000K	120V	Dim.	E12	6	24	 6 21139 40045 7










HIGH LUMENS / LUMEN ÉLEVÉ







Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50095 LED / DEL Type A21 - 2PK</p> 	28W	2605 lm	3000K	120V	Dim.	E26	6	24	 6 21139 50095 9
 <p>1-50096 LED / DEL Type A21 - 2PK</p> 	28W	2605 lm	5000K	120V	Dim.	E26	6	24	 6 21139 50096 6
 <p>1-50097 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur</p>	55W	5000 lm	3000K	120V	Non dim.	E26	4	24	 6 21139 50097 3
 <p>1-50098 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur</p>	55W	5000 lm	5000K	120V	Non dim.	E26	4	24	 6 21139 50098 0



VINTAGE / À L'ANCIENNE

	Product / Produit	Watts	Lumens	K	⚡	🌙	🏠	Inner	Master	UPC
	1-50015 LED / DEL - Filament Smoked / Fumée Type C - 1CD	3.5W	250 lm	2200K	120V	Dim.	E12	6	60	6 21139 50015 7
	1-40018 LED / DEL - Filament Smoked / Fumée Type C - 2CD	5W	350 lm	2200K	120V	Dim.	E26	6	60	6 21139 40018 1
	1-40046 LED / DEL - Filament Smoked / Fumée Type C - 4CD	3.5W	250 lm	2200K	120V	Dim.	E12	6	36	6 21139 40046 4
	1-50019 LED / DEL - Filament Smoked / Fumée Type A - 1CD	4.5W	450 lm	2200K	120V	Dim.	E26	6	48	6 21139 50019 5
	1-40017 LED / DEL - Filament Smoked / Fumée Type G25 - 1PK	5W	350 lm	2200K	120V	Dim.	E26	6	36	6 21139 40017 4
	1-50021 LED / DEL - Filament Smoked / Fumée Type G40 - 1PK	5W	500 lm	2200K	120V	Dim.	E26	4	24	6 21139 50021 8
	1-50074 LED / DEL - Filament Smoked / Fumée Type G40 - 1PK	7W	280 lm	2200K	120V	Dim.	E26	4	24	6 21139 50074 4

VINTAGE / À L'ANCIENNE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-60079 LED / DEL - Filament Smoked / Fumée Type S - 1CD</p>	5W	450 lm	2200K	120V	Dim.	E26	6	48	6 21139 60079 6
 <p>1-40050 LED / DEL - Filament Smoked / Fumée Type S - 4PK</p>	5W	400 lm	2200K	120V	Dim.	E26	0	6	6 21139 40050 1
 <p>1-40054 LED / DEL - Filament Smoked / Fumée Type S14 - 2CD</p>	3W	200 lm	2200K	120V	Dim.	E26	6	60	6 21139 40054 9
 <p>1-40000 LED / DEL - Filament Amber / ambre Type S14 - 3PK</p>	1W	70 lm	2200K	120V	Dim.	E26	6	48	6 21139 40000 6
 <p>1-40047 LED / DEL - Filament Smoked / Fumée Type T30 - 1CD</p>	5W	250 lm	2200K	120V	Dim.	E26	6	48	6 21139 40047 1
 <p>1-40048 LED / DEL - Filament Smoked / Fumée Type T30 - 1CD</p>	8W	350 lm	2200K	120V	Dim.	E26	6	48	6 21139 40048 8





















COLORED / COULEURS

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50004 LED / DEL - Type A19 Blue / Bleu - 1CD</p>	5W	N/A	N/A	120V	Non dim.	E26	6	36	6 21139 50004 1
 <p>1-50005 LED / DEL - Type A19 Red / Rouge - 1CD</p>	5W	N/A	N/A	120V	Non dim.	E26	6	36	6 21139 50005 8
 <p>1-50006 LED / DEL - Type A19 Green / Vert - 1CD</p>	5W	N/A	N/A	120V	Non dim.	E26	6	36	6 21139 50006 5
 <p>1-50007 LED / DEL - Type A19 Yellow / Jaune - 1CD</p>	5W	N/A	N/A	120V	Non dim.	E26	6	36	6 21139 50007 2
 <p>1-50027 LED / DEL - PAR38 Blue / Bleu - 1PK</p>	7W	N/A	N/A	120V	Non dim.	E26	4	24	6 21139 50027 0
 <p>1-50028 LED / DEL - PAR38 Red / Rouge - 1PK</p>	5W	N/A	N/A	120V	Non dim.	E26	4	24	6 21139 50028 7
 <p>1-50029 LED / DEL - PAR38 Green / Vert - 1PK</p>	7W	N/A	N/A	120V	Non dim.	E26	4	24	6 21139 50029 4
 <p>1-50047 LED / DEL - PAR38 Yellow / Jaune - 1PK</p>	7W	N/A	N/A	120V	Non dim.	E26	4	24	6 21139 50047 8

LED BULBS / AMPOULES DEL

TYPE PAR

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40064 LED / DEL Type PAR16 - 2PK</p>	6W	500 lm	3000K	120V	Dim.	E26	6	48	 6 21139 40064 8
 <p>1-50008 LED / DEL Type PAR20 - 1PK</p> 	7W	500 lm	3000K	120V	Dim.	E26	6	48	 6 21139 50008 9
 <p>1-50009 LED / DEL Type PAR20 - 1PK</p> 	7W	500 lm	5000K	120V	Dim.	E26	6	48	 6 21139 50009 6
 <p>1-50035 LED / DEL Type PAR20 - 2PK</p> 	7W	500 lm	3000K	120V	Dim.	E26	6	24	 6 21139 50035 5
 <p>1-50036 LED / DEL Type PAR20 - 2PK</p> 	7W	500 lm	5000K	120V	Dim.	E26	6	24	 6 21139 50036 2
 <p>1-50010 LED / DEL Type PAR30 - 1PK</p>	11W	800 lm	3000K	120V	Dim.	E26	6	24	 6 21139 50010 2
 <p>1-50011 LED / DEL Type PAR30 - 1PK</p>	11W	800 lm	5000K	120V	Dim.	E26	6	24	 6 21139 50011 9

LED BULBS / AMPOULES DEL

TYPE PAR



1-50012
LED / DEL
Type PAR38 - 1PK
Indoor / Outdoor
Intérieur / Extérieur



Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
1-50012 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur	18.5W	1400 lm	3000K	120V	Dim.	E26	6	24	6 21139 50012 6
1-50013 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur	18.5W	1400 lm	5000K	120V	Dim.	E26	6	24	6 21139 50013 3



1-50013
LED / DEL
Type PAR38 - 1PK
Indoor / Outdoor
Intérieur / Extérieur



MR11 / MR16 / GU10



1-60099
LED / DEL
Type MR11 - 1CD




















1-50045
LED / DEL - COB
Type MR16 - 1CD


















1-60099 LED / DEL Type MR11 - 1CD	3W	220 lm	3000K	12V	Non dim.	GU4 Bi-pin	6	60	6 21139 60099 4
1-50045 LED / DEL - COB Type MR16 - 1CD	7W	500 lm	3000K	12V	Dim.	GU5.3 Bi-pin	6	48	6 21139 50045 4

LED BULBS / AMPOULES DEL

MR11 / MR16 / GU10

Product / Produit	Watts	Lumens	K	⚡	🌙	🏠	Inner	Master	UPC
 <p>1-50046 LED / DEL - JDR Type MR16 - 1CD</p> 	7W	500 lm	3000K	120V	Dim.	E26	6	48	 6 21139 50046 1
 <p>1-40080 LED / DEL Type GU10 - 1CD</p>	7W	500 lm	3000K	120V	Dim.	GU10	6	48	 6 21139 40080 8
 <p>1-40081 LED / DEL Type GU10 - 1CD</p>	7W	500 lm	5000K	120V	Dim.	GU10	6	48	 6 21139 40081 5
 <p>1-40073 LED / DEL Type GU10 - 1PK</p>	7W	500 lm	3000K	120V	Dim.	GU10	10	100	 6 21139 40073 0
 <p>1-40074 LED / DEL Type GU10 - 1PK</p>	7W	500 lm	5000K	120V	Dim.	GU10	10	100	 6 21139 40074 7
 <p>1-40015 LED / DEL Type GU10 - 4PK</p>	7W	500 lm	3000K	120V	Dim.	GU10	12	36	 6 21139 40015 0
 <p>1-40016 LED / DEL Type GU10 - 4PK</p>	7W	500 lm	5000K	120V	Dim.	GU10	12	36	 6 21139 40016 7
 <p>1-40038 LED / DEL Type GU10 - 4CD Glass / Verre</p>	5W	400 lm	3000K	120V	Dim.	GU10	6	36	 6 21139 40038 9








TYPE R / BR

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50048 LED / DEL Type R14 - 1CD</p>	4.5W	300 lm	3000K	120V	Dim.	E26	6	60	6 21139 50048 5
 <p>1-60098 LED / DEL Type R16 - 1CD</p> 	5.5W	400 lm	3000K	120V	Dim.	E26	6	48	6 21139 60098 7
 <p>1-40026 LED / DEL Type R16 - 1CD</p> 	5.5W	400 lm	5000K	120V	Dim.	E26	6	48	6 21139 40026 6
 <p>1-60088 LED / DEL Type BR20 - 1PK</p> 	6.5W	460 lm	3000K	120V	Dim.	E26	6	48	6 21139 60088 8
 <p>1-60089 LED / DEL Type BR30 - 1PK</p> 	9.5W	670 lm	3000K	120V	Dim.	E26	4	24	6 21139 60089 5
 <p>1-50040 LED / DEL Type BR30 - 1PK</p> 	9.5W	670 lm	5000K	120V	Dim.	E26	4	24	6 21139 50040 9
 <p>1-50037 LED / DEL Type BR30 - 4PK</p>	9.5W	670 lm	3000K	120V	Dim.	E26	4	12	6 21139 50037 9
 <p>1-50082 LED / DEL Type BR30 - 4PK</p> 	9.5W	670 lm	5000K	120V	Dim.	E26	4	12	6 21139 50082 9
 <p>1-40065 LED / DEL Type BR40 - 1PK</p>	18W	1500 lm	3000K	120V	Dim.	E26	4	12	6 21139 40065 5

SPECIALTY / SPÉCIALITÉ

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40104 LED / DEL Type G4 - 1CD</p>	2.5W	250 lm	3000K	120V	Non dim.	G4	6	60	 6 21139 40104 1
 <p>1-50062 LED / DEL Type B6 - 1CD</p>	4W	350 lm	3000K	120V	Dim.	E12	6	60	 6 21139 50062 1
 <p>1-40052 LED / DEL Type G9 - 4CD</p>	4.5W	450 lm	6000K	120V	Dim.	G9	6	60	 6 21139 40052 5
 <p>1-40100 LED / DEL Type G9 - 1CD</p>	4.5W	500 lm	3000K	120V	Dim.	G9	6	60	 6 21139 40100 3
 <p>1-40101 LED / DEL Type G9 - 1CD</p>	4.5W	500 lm	6000K	120V	Dim.	G9	6	60	 6 21139 40101 0
 <p>1-40102 LED / DEL Type G9 - 4CD</p>	4.5W	500 lm	3000K	120V	Dim.	G9	6	60	 6 21139 40102 7
 <p>1-40103 LED / DEL Type G9 - 4CD</p>	4.5W	500 lm	6000K	120V	Dim.	G9	6	60	 6 21139 40103 4

SPECIALTY / SPÉCIALITÉ

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-40062 LED / DEL R7S - 78 mm Type J - 1CD</p>	8W	800 lm	5000K	120V	Dim.	R7S	6	60	6 21139 40062 4
 <p>1-40063 LED / DEL R7S - 118 mm Type J - 1CD</p>	15W	1500 lm	5000K	120V	Dim.	R7S	6	60	6 21139 40063 1
 <p>1-40025 LED / DEL 3 way / 3 intensités Type A19 - 1PK</p>	9W	800 lm	5000K	120V	Non dim.	E26	6	48	6 21139 40025 9
 <p>1-50061 LED / DEL Closet light / Lumière pour placard - 1PK</p>	11W	800 lm	4000K	120V	Dim.	E26	6	24	6 21139 50061 4
 <p>1-60001 LED / DEL Night light / Veilleuse White / Blanc - 2CD</p>	1W	3.6 lm	4100K	120V	Non dim.	E12	10	100	6 21139 60001 7
 <p>1-60002 LED / DEL Night light / Veilleuse Clear / Claire - 2CD</p>	1W	3.9 lm	4100K	120V	Non dim.	E12	10	100	6 21139 60002 4
 <p>1-00830 LED / DEL Flame effect Effet de flamme - 1PK</p>	2W	N/A	1800K	120V	Non dim.	E26	8	64	6 21139 00830 1

LED BULBS / AMPOULES DEL

SPECIALTY / SPÉCIALITÉ



Product / Produit	Watts	Lumens	K	⚡	🌙	🏠	Inner	Master	UPC
1-40023 LED / DEL Growing plant light Ampoule de croissance Type A - 1PK	10W	N/A	N/A	120V	Non dim.	E26	6	48	6 21139 40023 5



1-40024 LED / DEL Growing plant light Ampoule de croissance Type PAR38 - 1PK	12W	N/A	N/A	120V	Non dim.	E26	6	24	6 21139 40024 2
--	-----	-----	-----	------	----------	-----	---	----	-----------------

Of all the colors contained inside the visible light spectrum, plants are most responsive to the energy contained inside red and blue wavelengths. Both types of energy play vital roles within plant photosynthesis processes where light energy is absorbed and converted into carbohydrate materials. These carbohydrate materials are then converted into food for the plant.

De toutes les couleurs contenues dans le spectre de lumière visibles, les plantes sont les plus sensibles à l'énergie contenue dans les longueurs d'onde rouges et bleues. Les deux types d'énergie jouent un rôle vital dans les processus de photosynthèse des plantes. Ces matières glucidiques sont ensuite transformées en nourriture pour la plante.





1-50000 LED / DEL Bug light - Anti insecte Yellow - Jaune Type A - 1CD	5W	400 lm	N/A	120V	Dim.	E26	6	36	6 21139 50000 3
--	----	--------	-----	------	------	-----	---	----	-----------------




1-50083 LED / DEL Dusk to dawn Crépuscule Type A - 1PK	10W	800 lm	3000K	120V	Non dim.	E26	6	48	6 21139 50083 6
--	-----	--------	-------	------	----------	-----	---	----	-----------------


T8 LED TUBE / T8 TUBE DEL

Product / Produit	Watts	Lumens	K	⚡	🌙	🏠	Inner	Master	UPC
1-69909 LED / DEL Type T8 Tube 4' - 1PK (Compatible with and without Ballast / Compatible avec ou sans ballast)	15W	2200 lm	3000K 3500K 4000K 5000K 6500K	120V to/à 277V	Dim.	G13	0	20	 6 21139 69909 7




1-69911 LED / DEL Type T8 Tube 4' - 1PK (Compatible with Ballast / Compatible avec Ballast)	14W	2200 lm	4000K	120V to/à 277V	Dim.	G13	0	20	 6 21139 69911 0
--	-----	---------	-------	----------------------	------	-----	---	----	--



1-69912 LED / DEL Type T8 Tube 4' - 1PK (Compatible with Bal- last / Compatible avec Ballast)	14W	2200 lm	5000K	120V to/à 277V	Dim.	G13	0	20	 6 21139 69912 7
--	-----	---------	-------	----------------------	------	-----	---	----	--



1-69913 LED / DEL Type T8 Tube 4' - 1PK (Direct - Ballast Not Compatible / Ballast Non Compatible)	14.5W	2200 lm	5000K	120V to/à 277V	Non dim.	G13	0	12	 6 21139 69913 4
---	-------	---------	-------	----------------------	----------	-----	---	----	--



SMART BULB / AMPOULE INTELLIGENTE

Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-40108 LED / DEL Motion Detector Détecteur de mouvement Type A19 - 1PK</p>	9W	800 lm	3000K	120V	Non dim.	E26	6	48	 6 21139 40108 9
 <p>1-50089 LED / DEL Motion Detector Détecteur de mouvement Type PAR38 - 1PK</p>	10W	750 lm	5000K	120V	Non dim.	E26	6	24	 6 21139 50089 8
 <p>1-50084 LED / DEL - Wi-Fi  Tunable white Luminosité ajustable Type A19 - 2PK</p>	10W	800 lm	2700K to/à 6500K	120V	Dim.	E26	4	24	 6 21139 50084 3
 <p>1-50085 LED / DEL - Wi-Fi  Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type A19 - 2PK</p>	10W	800 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	24	 6 21139 50085 0
 <p>1-50086 LED / DEL - Wi-Fi  Tunable white Luminosité ajustable Type BR30 - 1PK</p>	10W	650 lm	2700K to/à 6500K	120V	Dim.	E26	4	24	 6 21139 50086 7
 <p>1-50076 LED / DEL - Wi-Fi  Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type BR30 - 1PK</p>	10W	650 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	24	 6 21139 50076 8
 <p>1-50075 LED / DEL - Wi-Fi  Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type BR30 - 4PK</p>	10W	650 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	12	 6 21139 50075 1

CFL / AFC

.....









CFL BULBS / AMPOULES AFC

T2 SPIRAL / SPIRALE T2








Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-60200 CFL / AFC Type T2 - 2PK</p>	9W	540 lm	2700K	120V	Non dim.	E26	0	8	6 21139 60200 4
 <p>1-60201 CFL / AFC Type T2 - 2PK</p>	13W	900 lm	2700K	120V	Non dim.	E26	0	8	6 21139 60201 1
 <p>1-60202 CFL / AFC Type T2 - 2PK</p>	23W	1600 lm	2700K	120V	Non dim.	E26	0	8	6 21139 60202 8
 <p>1-60210 CFL / AFC Type T2 - 2PK</p>	9W	540 lm	4100K	120V	Non dim.	E26	0	8	6 21139 60210 3
 <p>1-60211 CFL / AFC Type T2 - 2PK</p>	13W	900 lm	4100K	120V	Non dim.	E26	0	8	6 21139 60211 0
 <p>1-60212 CFL / AFC Type T2 - 2PK</p>	23W	1520 lm	4100K	120V	Non dim.	E26	0	8	6 21139 60212 7
 <p>1-60220 CFL / AFC Type T2 - 2PK</p>	9W	540 lm	5000K	120V	Non dim.	E26	0	8	6 21139 60220 2
 <p>1-60223 CFL / AFC Type T2 - 2PK</p>	13W	900 lm	5000K	120V	Non dim.	E26	0	8	6 21139 60223 3
 <p>1-60222 CFL / AFC Type T2 - 2PK</p>	23W	1520 lm	5000K	120V	Non dim.	E26	0	8	6 21139 60222 6

T2 SPIRAL / SPIRALE T2











Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-60402 CFL / AFC Type T2 - 4PK</p>	23W	1600 lm	2700K	120V	Non dim.	E26	0	6	6 21139 60402 2
 <p>1-60411 CFL / AFC Type T2 - 4PK</p>	13W	900 lm	4100K	120V	Non dim.	E26	0	6	6 21139 60411 4
 <p>1-60412 CFL / AFC Type T2 - 4PK</p>	23W	1520 lm	4100K	120V	Non dim.	E26	0	6	6 21139 60412 1
 <p>1-60423 CFL / AFC Type T2 - 4PK</p>	13W	900 lm	5000K	120V	Non dim.	E26	0	6	6 21139 60423 7
 <p>1-60422 CFL / AFC Type T2 - 4PK</p>	23W	1520 lm	5000K	120V	Non dim.	E26	0	6	6 21139 60422 0
 <p>1-60107 CFL / AFC Type T2 - 1PK</p>	13W	900 lm	2700K	120V	Non dim.	GU24	0	8	6 21139 60107 6



T4 & T5 SPIRAL / SPIRALE




Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-60101 CFL / AFC Type T4 - 1PK</p>	40W	2650 lm	4100K	120V	Non dim.	E26	0	4	 6 21139 60101 4
 <p>1-60102 CFL / AFC Type T5 - 1PK</p>	65W	4000 lm	4100K	120V	Non dim.	E26	0	4	 6 21139 60102 1

COLOR SPIRAL / SPIRALE COULEUR







 <p>1-60123 CFL / AFC Bug light / Anti-insecte Yellow / Jaune Type T2 - 1PK</p>	13W	N/A	N/A	120V	Non dim.	E26	8	48	 6 21139 60123 6
 <p>1-60111 CFL / AFC Blue / Bleu Type T2 - 1PK</p>	13W	N/A	N/A	120V	Non dim.	E26	8	48	 6 21139 60111 3
 <p>1-60112 CFL / AFC Green / vert Type T2 - 1PK</p>	13W	N/A	N/A	120V	Non dim.	E26	8	48	 6 21139 60112 0
 <p>1-60113 CFL / AFC Red / Rouge Type T2 - 1PK</p>	13W	N/A	N/A	120V	Non dim.	E26	8	48	 6 21139 60113 7
 <p>1-60110 CFL / AFC Black light/ Ultra-violet Type T2 - 1PK</p>	13W	N/A	N/A	120V	Non dim.	E26	8	48	 6 21139 60110 6

CFL BULBS / AMPOULES AFC



TYPE A19

Product / Produit	Watts	Lumens	K	⚡	⦿	⦶	Inner	Master	UPC
 <p>1-60109 CFL / AFC Type A19 - 1PK</p> 	14W	800 lm	2700K	120V	Non dim.	E26	0	6	 6 21139 60109 0

TYPE PAR





 <p>1-60103 CFL / AFC Type PAR20 - 1PK</p>	9W	330 lm	4100K	120V	Non dim.	E26	0	6	 6 21139 60103 8
 <p>1-60104 CFL / AFC Type PAR30 - 1PK</p>	15W	630 lm	4100K	120V	Non dim.	E26	0	4	 6 21139 60104 5
 <p>1-60105 CFL / AFC Type PAR38 - 1PK</p>	23W	1070 lm	4100K	120V	Non dim.	E26	0	4	 6 21139 60105 2

TYPE R30



 <p>1-60722 CFL / AFC Type R30 - 2PK</p>	15W	750 lm	2700K	120V	Non dim.	E26	0	4	 6 21139 60722 1
--	-----	--------	-------	------	----------	-----	---	---	--



FLUO. TUBE

Product / Produit	Watts	Lumens	K	⚡	⦿	⦶	Inner	Master	UPC
 <p>1-69906 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK</p>	32W	3050 lm	4100K	120V	Non dim.	G13	0	12	6 21139 69906 6
 <p>1-69907 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK</p>	32W	2900 lm	5000K	120V	Non dim.	G13	0	12	6 21139 69907 3
 <p>1-69908 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK</p>	32W	2900 lm	6500K	120V	Non dim.	G13	0	12	6 21139 69908 0
 <p>1-63090 CFL / AFC 18" - T8 Tube (1.5') Black light / Ultra-violet Fluo - 1CD</p>	15W	N/A	N/A	120V	Non dim.	G13	6	24	6 21139 63090 8

PL13 / 2U

 <p>1-60199 CFL / AFC Type PL13 - 1CD</p>	13W	825 lm	4100K	120V	Non dim.	Bi-pin	6	36	6 21139 60199 1
 <p>1-00831 CFL / AFC - Full spectrum / Spectre complet Type 2U-1PK</p>	13W	800 lm	6400K	120V	Non dim.	4-pin	6	36	6 21139 00831 8

INCANDESCENT

Bulbs













Ampoules

INCANDESCENTES





INCAN. BULBS / AMPOULES INCAN.

TYPE A19

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 <p>1-63901 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK</p>	40W	300 lm	2700K	130V	Dim.	E26	0	24	
 <p>1-63902 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK</p>	60W	560 lm	2700K	130V	Dim.	E26	0	24	
 <p>1-63903 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK</p>	100W	1020 lm	2700K	130V	Dim.	E26	0	24	
 <p>1-63905 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK</p>	40W	290 lm	2700K	130V	Dim.	E26	0	24	
 <p>1-63906 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK</p>	60W	550 lm	2700K	130V	Dim.	E26	0	24	
 <p>1-63907 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK</p>	100W	1000 lm	2700K	130V	Dim.	E26	0	24	

A19 LONG LIFE / LONGUE VIE

 <p>1-63911 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK</p>	40W	250 lm	2700K	130V	Dim.	E26	0	12	
--	-----	--------	-------	------	------	-----	---	----	---



A19 COLOR / COULEUR

	Product / Produit	Watts	Lumens	K				Inner	Master	UPC
	1-63011 INCAN. Bulbs / Ampo. Party / Festivité Blue / Bleu Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63011 3
	1-63012 INCAN. Bulbs / Ampo. Party / Festivité Green / Vert Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63012 0
	1-63013 INCAN. Bulbs / Ampo. Party / Festivité Red / Rouge Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63013 7
	1-63014 INCAN. Bulbs / Ampo. Party / Festivité Amber / Ambre Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63014 4
	1-63015 INCAN. Bulbs / Ampo. Party / Festivité Yellow / Jaune Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63015 1
	1-63006 INCAN. Bulbs / Ampo. Party / Festivité Black light / Ultra-violet Type A19 - 1PK	75W	N/A	N/A	130V	Dim.	E26	6	60	 6 21139 63006 9
	1-63005 INCAN. Bulbs / Ampo. Bug light / Anti-insecte Yellow / Jaune Type A19 - 2PK	60W	N/A	N/A	130V	Dim.	E26	0	12	 6 21139 63005 2







A15 - APPLIANCE / APPAREIL

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 <p>1-63041 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 1CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	60	6 21139 63041 0
 <p>1-63042 INCAN. Bulbs / Ampo. Frosted / Givrée Type A15 - 1CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	60	6 21139 63042 7
 <p>1-63101 INCAN. Bulbs / Ampo. Clear-Fan/Claire-Venti. Type A15 - 2CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	36	6 21139 63101 1
 <p>1-63113 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 2CD</p>	60W	550 lm	2700K	130V	Dim.	E26	6	60	6 21139 63113 4

TYPE G25

 <p>1-63003 Vanity / Vanité White / Blanc Type G25 - 1PK</p>	40W	320 lm	2700K	130V	Dim.	E26	6	72	6 21139 63003 8
 <p>1-63004 Vanity / Vanité White / Blanc Type G25 - 1PK</p>	60W	550 lm	2700K	130V	Dim.	E26	6	72	6 21139 63004 5
 <p>1-63111 Vanity / Vanité White / Blanc Type G25 - 3PK</p>	40W	320 lm	2700K	130V	Dim.	E26	6	24	6 21139 63111 0
















TYPE G16.5

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-63046 Vanity / Vanité Clear / Claire Type G16.5 - 2CD</p>	25W	170 lm	2700K	130V	Dim.	E12	10	100	6 21139 63046 5
 <p>1-63047 Vanity / Vanité Clear / Claire Type G16.5 - 2CD</p>	40W	360 lm	2700K	130V	Dim.	E12	10	100	6 21139 63047 2
 <p>1-63048 Vanity / Vanité Clear / Claire Type G16.5 - 2CD</p>	60W	600 lm	2700K	130V	Dim.	E12	10	100	6 21139 63048 9
 <p>1-63049 Vanity / Vanité White / Blanc Type G16.5 - 2CD</p>	25W	150 lm	2700K	130V	Dim.	E12	10	100	6 21139 63049 6
 <p>1-63050 Vanity / Vanité White / Blanc Type G16.5 - 2CD</p>	40W	320 lm	2700K	130V	Dim.	E12	10	100	6 21139 63050 2
 <p>1-63051 Vanity / Vanité White / Blanc Type G16.5 - 2CD</p>	60W	550 lm	2700K	130V	Dim.	E12	10	100	6 21139 63051 9





INCAN. BULBS / AMPOULES INCAN.

TYPE S11








Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-63019 High intensity / Haute intensité - Clear / Claire Type S11 - 1CD</p>	25W	170 lm	2700K	130V	Dim.	E17	10	100	
 <p>1-63020 High intensity / Haute intensité - Clear / Claire Type S11 - 1CD</p>	40W	360 lm	2700K	130V	Dim.	E17	10	100	
 <p>1-63061 Indicator / Indication Green / Vert Type S11 - 1CD</p>	7.5W	N/A	N/A	130V	Dim.	E26	10	100	
 <p>1-63062 Indicator / Indication Blue / Bleu Type S11 - 1CD</p>	7.5W	N/A	N/A	130V	Dim.	E26	10	100	
 <p>1-63067 Indicator / Indication Red / Rouge Type S11 - 1CD</p>	7.5W	N/A	N/A	130V	Dim.	E26	10	100	
 <p>1-63069 Indicator / Indication Yellow / Jaune Type S11 - 1CD</p>	7.5W	N/A	N/A	130V	Dim.	E26	10	100	

S14 COLOR / COULEUR

 <p>1-63054 INCAN. Bulbs / Ampo. Sign light / Enseigne Amber / Ambre Type S14 - 1PK</p>	11W	N/A	N/A	130V	Dim.	E26	12	120	
---	-----	-----	-----	------	------	-----	----	-----	---

INCAN. BULBS / AMPOULES INCAN.

S14 color / couleur

Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-63055 INCAN. Bulbs / Ampo. Sign light / Enseigne Green / Vert Type S14 - 1PK</p>	11W	N/A	N/A	130V	Dim.	E26	12	120	6 21139 63055 7
 <p>1-63056 INCAN. Bulbs / Ampo. Sign light / Enseigne Blue / Bleu Type S14 - 1PK</p>	11W	N/A	N/A	130V	Dim.	E26	12	120	6 21139 63056 4
 <p>1-63057 INCAN. Bulbs / Ampo. Sign light / Enseigne Red / Rouge Type S14 - 1PK</p>	11W	N/A	N/A	130V	Dim.	E26	12	120	6 21139 63057 1
 <p>1-63058 INCAN. Bulbs / Ampo. Sign light / Enseigne Yellow / Jaune Type S14 - 1PK</p>	11W	N/A	N/A	130V	Dim.	E26	12	120	6 21139 63058 8

TYPE C7

 <p>1-63007 Night light / Veilleuse Clear / Claire Type C7 - 2CD</p>	7W	22 lm	2700K	130V	Dim.	E12	10	100	6 21139 63007 6
 <p>1-63010 Night light / Veilleuse White / Blanc Type C7 - 2CD</p>	4W	10 lm	2700K	130V	Dim.	E12	10	100	6 21139 63010 6
 <p>1-63008 Night light / Veilleuse White / Blanc Type C7 - 2CD</p>	7W	20 lm	2700K	130V	Dim.	E12	10	100	6 21139 63008 3

INCAN. BULBS / AMPOULES INCAN.

TYPE T6



Product / Produit	Watts	Lumens	K				Inner	Master	UPC
1-63070 Exit sign / Enseigne sortie - Clear / Claire Type T6 - 1CD	15W	90 lm	2700K	145V	Dim.	E12	10	100	 6 21139 63070 0

TYPE T7



1-63071 Appliance / Électro. Clear / Claire Type T7 - 1CD	15W	90 lm	2700K	130V	Dim.	E12	10	100	 6 21139 63071 7
--	-----	-------	-------	------	------	-----	----	-----	---------------------



1-63072 Appliance / Électro. Clear / Claire Type T7 - 1CD	15W	90 lm	2700K	130V	Dim.	E17	10	100	 6 21139 63072 4
--	-----	-------	-------	------	------	-----	----	-----	---------------------



1-63073 Appliance / Électro. Clear / Claire Type T8 - 1CD	25W	170 lm	2700K	130V	Dim.	E12	10	100	 6 21139 63073 1
--	-----	--------	-------	------	------	-----	----	-----	---------------------

TYPE T10





1-63016 Tubular / Tubulaire Clear / Claire Type T10 - 1CD	25W	160 lm	2700K	120V	Dim.	E26	10	100	 6 21139 63016 8
--	-----	--------	-------	------	------	-----	----	-----	---------------------



1-63017 Tubular / Tubulaire Clear / Claire Type T10 - 1CD	40W	280 lm	2700K	120V	Dim.	E26	10	100	 6 21139 63017 5
--	-----	--------	-------	------	------	-----	----	-----	---------------------


TYPE B8 / B9

Product / Produit	Watts	Lumens	K	⚡	⦿	⦶	Inner	Master	UPC
 <p>1-63027 Chandelier - Type B8 Clear / Claire - 2CD</p>	15W	100 lm	2700K	120V	Dim.	E12	10	100	6 21139 63027 4
 <p>1-63028 Chandelier - Type B8 Clear / Claire - 2CD</p>	25W	160 lm	2700K	120V	Dim.	E12	10	100	6 21139 63028 1

TYPE B10










 <p>1-63029 Chandelier - Type B10 Clear / Claire - 2CD</p>	25W	170 lm	2700K	130V	Dim.	E12	10	100	6 21139 63029 8
 <p>1-63030 Chandelier - Type B10 Clear / Claire - 2CD</p>	40W	360 lm	2700K	130V	Dim.	E12	10	100	6 21139 63030 4
 <p>1-63031 Chandelier - Type B10 Clear / Claire - 2CD</p>	60W	600 lm	2700K	130V	Dim.	E12	10	100	6 21139 63031 1

TYPE B11





 <p>1-63021 Chandelier - Type B11 Clear / Claire - 2CD</p>	25W	170 lm	2700K	120V	Dim.	E26	10	100	6 21139 63021 2
---	-----	--------	-------	------	------	-----	----	-----	-----------------

INCAN. BULBS / AMPOULES INCAN.



type B11

Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-63022 Chandelier - Type B11 Clear / Claire - 2CD</p>	40W	360 lm	2700K	120V	Dim.	E26	10	100	
 <p>1-63023 Chandelier - Type B11 Clear / Claire - 2CD</p>	60W	600 lm	2700K	120V	Dim.	E26	10	100	
 <p>1-63100 Chandelier - Type B11 Fan / Ventilateur Clear / Claire - 2CD</p>	40W	360 lm	2700K	120V	Dim.	E26	10	100	

TYPE R14

 <p>1-63077 Accent / D'appoint Frosted / Givrée Type R14 - 1CD</p>	25W	170 lm	2700K	120V	Dim.	E17	10	100	
 <p>1-63080 Accent / D'appoint Frosted / Givrée Type R14 - 1CD</p>	40W	280 lm	2700K	120V	Dim.	E17	10	100	













TYPE BR30

 <p>1-63087 Flood light / Faisceau large - White / Blanc Type BR30 - 1PK</p>	65W	580 lm	2700K	130V	Dim.	E26	6	36	
---	-----	--------	-------	------	------	-----	---	----	---

HALOGEN HALOGÈNE











MR16 - GU10

	Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
	1-62028 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	50W	700 lm	2700K	120V	Dim.	GU10	6	60	
	1-62003 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	20W	190 lm	2700K	120V	Dim.	GU10	6	60	
	1-62005 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	35W	400 lm	2700K	120V	Dim.	GU10	6	60	
	1-62006 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	50W	700 lm	2700K	120V	Dim.	GU10	6	60	
	1-62007 Cool beam - Glass cover / Faisceau frais Couvercle verre Type MR16 - 2CD	50W	400 lm	2700K	120V	Dim.	GU10	6	60	
	1-62064 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 4PK	50W	700 lm	2700K	120V	Dim.	GU10	6	48	












MR16 - GU5.3 BI-PIN







	Product / Produit	Watts	Lumens	K	⚡	☉	☰	Inner	Master	UPC
	1-62022 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	20W	260 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	
	1-62013 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	35W	500 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	
	1-62024 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	
	1-62078 Flood light - No glass cover / Faisceau large Pas de couvercle verre Type MR16 - 2CD	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	
	1-62053 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 3PK	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	10	100	





T3 JCD - G4 BI-PIN

Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-62016 Clear / Claire Type T3 JCD - 2CD</p>	10W	105 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	
 <p>1-62018 Clear / Claire Type T3 JCD - 1CD</p>	20W	260 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	
 <p>1-62040 Clear / Claire Type T3 JCD - 2CD</p>	20W	260 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	







T4 JCD - GY6.35 BI-PIN

 <p>1-62020 Clear / Claire Type T4 JCD - 2CD</p>	35W	500 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	
 <p>1-62019 Clear / Claire Type T4 JCD - 1CD</p>	50W	825 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	
 <p>1-62041 Clear / Claire Type T4 JCD - 2CD</p>	50W	825 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	

T4 JCD - G9

	Product / Produit	Watts	Lumens	K				Inner	Master	UPC
	1-62083 Clear / Claire Type T4 JCD - 1CD	20W	205 lm	2700K	120V	Dim.	G9	10	100	
	1-62014 Clear / Claire Type T4 JCD - 1CD	25W	250 lm	2700K	120V	Dim.	G9	10	100	
	1-62009 Clear / Claire Type T4 JCD - 1CD	35W	350 lm	2700K	120V	Dim.	G9	10	100	
	1-62010 Frosted / Givrée Type T4 JCD - 1CD	35W	350 lm	2700K	120V	Dim.	G9	10	100	
	1-62000 Clear / Claire Type T4 JCD - 1CD	40W	400 lm	2700K	120V	Dim.	G9	10	100	
	1-62001 Clear / Claire Type T4 JCD - 4CD	40W	400 lm	2700K	120V	Dim.	G9	10	100	
	1-62021 Clear / Claire Type T4 JCD - 1CD	50W	550 lm	2700K	120V	Dim.	G9	10	100	
	1-62011 Clear / Claire Type T4 JCD - 1CD	60W	700 lm	2700K	120V	Dim.	G9	10	100	

T3 JCD - RSC (78 MM)

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-62038 Clear / Claire Type T3 JCD - 1CD</p>	75W	500 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62038 1
 <p>1-62035 Clear / Claire Type T3 JCD - 1CD</p>	100W	1057 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62035 0
 <p>1-62079 Clear / Claire Type T3 JCD - 2CD</p>	100W	1057 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62079 4
 <p>1-62032 Clear / Claire Type T3 JCD - 1CD</p>	150W	1800 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62032 9
 <p>1-62080 Clear / Claire Type T3 JCD - 2CD</p>	150W	1800 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62080 0
 <p>1-62037 Clear / Claire Type T3 JCD - 1CD</p>	250W	3000 lm	2700K	130V	Dim.	RSC	10	100	6 21139 62037 4





T3 JCD - RSC (118 MM)

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-62033 Clear / Claire Type T3 JCD - 1CD</p>	100W	725 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62031 Clear / Claire Type T3 JCD - 1CD</p>	150W	1650 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62029 Clear / Claire Type T3 JCD - 1CD</p>	200W	2500 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62034 Clear / Claire Type T3 JCD - 1CD</p>	300W	4505 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62081 Clear / Claire Type T3 JCD - 2CD</p>	300W	4505 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62036 Clear / Claire Type T3 JCD - 1CD</p>	500W	8050 lm	2700K	130V	Dim.	RSC	10	100	
 <p>1-62082 Clear / Claire Type T3 JCD - 2CD</p>	500W	8050 lm	2700K	130V	Dim.	RSC	10	100	





HALOGEN ECO HALOGÈNES ÉCO







TYPE A19

	Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
	1-64080 Halogen / Halogène Soft white/Blanc doux Type A19 - 4PK	72W	1400 lm	2700K	120V	Dim.	E26	4	24	 6 21139 64080 8

TYPE B11










	1-64061 Halogen / Halogène Clear/Claire - Chandel. Type B11 - 2PK	29W	380 lm	2700K	120V	Dim.	E26	6	60	 6 21139 64061 7
	1-64062 Halogen / Halogène Clear/Claire - Chandel. Type B11 - 2PK	43W	750 lm	2700K	120V	Dim.	E26	6	60	 6 21139 64062 4

TYPE G25

	1-64067 Halogen / Halogène Clear / Claire Type G25 - 2PK	29W	380 lm	2700K	120V	Dim.	E26	6	24	 6 21139 64067 9
	1-64069 Halogen / Halogène Soft white/Blanc doux Type G25 - 2PK	29W	360 lm	2700K	120V	Dim.	E26	6	24	 6 21139 64069 3

OLD FASHIONED À L'ANCIENNE

VINTAGE / À L'ANCIENNE

Product / Produit	Watts	Lumens	K				Inner	Master	UPC
 <p>1-63106 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type S - 1PK</p>	60W	220 lm	N/A	120V	Dim.	E26	6	48	 6 21139 63106 6
 <p>1-63107 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type G - 1PK</p>	60W	200 lm	N/A	120V	Dim.	E26	6	48	 6 21139 63107 3
 <p>1-63108 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type T - 1PK</p>	60W	200 lm	N/A	120V	Dim.	E26	6	96	 6 21139 63108 0



CATALOGUE D'AMPOULES
BULBS CATALOG
2024

Les industries
Jessar
industries inc.

341 Allée Du Golf
St-Eustache, Québec
Canada J7R 0L5

Tel : 450 472 0280
Fax: 450 472 1280

E-mail: info@jessar.ca
www.jessar.ca

Oct 2024